

Safety Data Sheet

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document Group:
 08-2343-5
 Version Number:
 22.00

 Issue Date:
 04/22/14
 Supercedes Date:
 07/16/13

SECTION 1: Identification

1.1. Product identifier

3MTM CavilonTM No Sting Barrier Film (Foam Applicator) 3343N, 3345N

Product Identification Numbers

70-2006-9963-8, 70-2007-0322-4, 70-2007-1533-5, 70-2007-4213-1, 70-2007-4214-9, 70-2007-6574-4, 70-2007-6575-1, 70-2007-7080-1, DH-9999-5301-0, GH-6206-0446-8, GH-6206-0451-8

1.2. Recommended use and restrictions on use

Recommended use

Skin protectant barrier film.

1.3. Supplier's details

MANUFACTURER: 3M

DIVISION: Critical & Chronic Care Solutions Division

ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA **Telephone:** 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Flammable Liquid: Category 2.

2.2. Label elements

Signal word

Danger

Symbols

Flame |

Pictograms



Hazard Statements

Highly flammable liquid and vapor.

Precautionary Statements

General:

Keep out of reach of children.

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Keep container tightly closed.

Use explosion-proof electrical/ventilating/lighting equipment.

Wear protective gloves and eye/face protection.

Response:

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide to extinguish.

Storage:

Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Hazards not otherwise classified

None.

6% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|------------------------------------|---------------|---------|
| Foam applicator | Unknown | 30 - 70 |
| Hexamethyldisiloxane | 107-46-0 | 26 - 62 |
| Acrylate Terpolymer | Trade Secret* | 2 - 7 |
| Polyphenylmethylsiloxane Copolymer | 73559-47-4 | 0.1 - 2 |

^{*}The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

No need for first aid is anticipated.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids and solids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide Carbon dioxide

Condition

During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid release to the environment. Avoid contact with

3MTM CavilonTM No Sting Barrier Film (Foam Applicator) 3343N, 3345N 04/22/14

oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this SDS.

8.2. Exposure controls

8.2.1. Engineering controls

Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Respiratory protection is not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form:

Specific Physical Form: Fluid on foam applicator.

Odor, Color, Grade: Foam applicator with clear, odorless liquid.

Odor threshold No Data Available Not Applicable pН No Data Available **Melting point**

Boiling Point 212 °F [Test Method: Tested per ASTM protocol] [Details: (For

liquid portion)]

20 °F [Test Method: Closed Cup] **Flash Point**

<=1 [Test Method: Tested per ASTM protocol] [Ref Std: **Evaporation rate**

ETHER=1]

Flammability (solid, gas) Not Classified

0.7 % Flammable Limits(LEL) 18.3 % Flammable Limits(UEL) Vapor Pressure <=33 mmHg

Vapor Density Not Applicable

3MTM CavilonTM No Sting Barrier Film (Foam Applicator) 3343N, 3345N 04/22/14

Density 0.78 g/ml [*Details*: (For liquid protion)]

Specific Gravity 0.78 [Test Method: Tested per ASTM protocol] [Ref Std:

WATER=1] [Details: (For liquid portion)]

Solubility In Water <=.1 % [*Test Method*: Tested per ASTM protocol]

Solubility- non-water No Data Available

Partition coefficient: n-octanol/ water Not Applicable

Autoignition temperature 644 °F

Decomposition temperatureNo Data Available

Viscosity <= 10 centipoise [Test Method: Tested per ASTM protocol]

[Details: (For liquid portion)]

Volatile Organic Compounds 720 g/l Percent volatile 85 - 90 %

VOC Less H2O & Exempt Solvents No Data Available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

Sparks and/or flames

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

<u>Substance</u> <u>Condition</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

No health effects are expected.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

No health effects are expected.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| this to the same of the same o | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------|-------------------------------------------------|--|--|--|--|
| Name | Route | Species | Value | | | | |
| Overall product | Ingestion | | No data available; calculated ATE > 5,000 mg/kg | | | | |
| Hexamethyldisiloxane | Dermal | Rabbit | LD50 > 2,000 mg/kg | | | | |
| Hexamethyldisiloxane | Inhalation- | Rat | LC50 106 mg/l | | | | |
| | Vapor (4 | | | | | | |
| | hours) | | | | | | |
| Hexamethyldisiloxane | Ingestion | Rat | LD50 > 5,000 mg/kg | | | | |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|----------------------|---------|---------------------------|
| Hexamethyldisiloxane | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|----------------------|---------|---------------|
| Hexamethyldisiloxane | Rabbit | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|----------------------|---------|-----------------|
| Hexamethyldisiloxane | Guinea | Not sensitizing |
| | pig | |

Respiratory Sensitization

| Name | Species | Value |
|------|---------|-------|
| | | |

Germ Cell Mutagenicity

| Name | Route | Value |
|----------------------|----------|---------------|
| Hexamethyldisiloxane | In Vitro | Not mutagenic |
| Hexamethyldisiloxane | In vivo | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|----------------------|---------------------------------------------------------|---------|------------------------------------------------|
| Hexamethyldisiloxane | Inhalation Rat Some positive data exist, but the data a | | Some positive data exist, but the data are not |
| | | | sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|----------------------|------------|------------------------------------------------------------------------------------------------------|---------|------------------|----------------------|
| Hexamethyldisiloxane | Inhalation | Not toxic to female reproduction | Rat | NOAEL 33 mg/l | 13 weeks |
| Hexamethyldisiloxane | Inhalation | Some positive male reproductive data exist, but the data are not sufficient for classification | Rat | NOAEL 33 mg/l | 13 weeks |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|----------------------|------------|--------------------------------------|------------------------------------------------------------------------------|---------------|-----------------------|----------------------|
| Hexamethyldisiloxane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 33 mg/l | 6 hours |
| Hexamethyldisiloxane | Ingestion | central nervous system depression | Some positive data exist, but the data are not sufficient for classification | Guinea pig | LOAEL 22,900 mg/kg | not applicable |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|----------------------|------------|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------------------------|-----------------------------|----------------------|
| Hexamethyldisiloxane | Dermal | liver kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Hexamethyldisiloxane | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 4 mg/l | 13 weeks |
| Hexamethyldisiloxane | Inhalation | hematopoietic system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 33 mg/l | 13 weeks |
| Hexamethyldisiloxane | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 29 mg/l | 15 days |
| Hexamethyldisiloxane | Inhalation | heart endocrine system immune system nervous system respiratory system | All data are negative | Rat | NOAEL 33 mg/l | 13 weeks |

Aspiration Hazard

| | |
|------|-------|
| Name | Value |
| | |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

Ecotoxicological information

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

SECTION 14: Transport Information

For Transport Information, please visit <u>http://3M.com/Transportinfo</u> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. US Federal Regulations

Contact 3M for more information.

311/312 Hazard Categories:

Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - No Delayed Hazard - No

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

This material contains one or more substances not listed on the TSCA Inventory. Commercial use of this material is regulated by the FDA.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 08-2343-5 **Version Number:** 22.00

Page 8 of 9

Issue Date: 04/22/14 **Supercedes Date:** 07/16/13

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com