

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: AQUAFLEX® ULTRASOUND GEL PAD
(As used on label and List)

Manufacturer's Name: PARKER LABORATORIES INC.
Address: 286 ELDRIDGE ROAD
(number, street, City, State, Zip code) FAIRFIELD, NJ 07004 USA

Emergency Telephone Number: (800)-631-8888
Telephone Number for Information: (973)-276-9500 (8:30am – 5:15pm ET)

SECTION 2 — HAZARDS IDENTIFICATION

Hazardous Components (Specific Chemical Identity; Common Name(s)): NONE

Classification of the Substance/Mixture: NOT CLASSIFIED

Signal Word: N/A

Hazard Statements: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS

Precautionary Statement: HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE PRACTICES

OSHA Hazards: NO OSHA HAZARDS

SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients (specific)	% Composition	CAS Number
N/A	N/A	N/A

SECTION 4 — FIRST AID MEASURES

Signs and Symptoms of Exposure: N/A

Medical Symptoms Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures:

Inhalation: Move to fresh air immediately. If experiencing difficulty breathing, seek medical attention.

Skin contact: In the case of skin irritation or allergic reactions, wash with soap and plenty of water. See a physician.

Eye contact: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion: If accidentally swallowed obtain immediate medical attention. Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.

SECTION 5 — FIRE FIGHTING MEASURES

Flash Point(Method Used): NON-FLAMMABLE **Flammable Limits:** N/A **LEL:** N/A **UEL:** N/A

Extinguishing Media: USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING FIRE

Special Fire Fighting Procedures: NONE

Unusual Fire and Explosion Hazards: NONE

Protective Equipment and Precautions for Firefighters: WEAR A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.

SECTION 6— ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures: SLIPPERY IF SPILLED ON FLOOR. MOP AREA WITH WATER.

Personal Precautions: N/A

Environmental Precautions: N/A

SECTION 7— HANDLING AND STORAGE

Handling procedures and Equipment: N/A

Storage requirements: DO NOT STORE BELOW 40°F (5°C) OR ABOVE 135°F (57°C)

SECTION 8— EXPOSURE CONTROL/PERSONAL PROTECTION

Exposure Limits: ACGIH TLV OSHA PEL Other(Specify)

Specific Engineering Controls (such as ventilation, enclosed process) ENSURE ADEQUATE VENTILATION

Personal Protective Equipment:

Gloves Eye Clothing Footwear Respirator Other (specify)

If checked, please specify type:

SECTION 9— PHYSICAL AND CHEMICAL PROPERTIES

Physical State(Appearance): Translucent, Aqueous Gel Pad

Color: Buff Colored

Odor: Little or no Odor

Specific Gravity(H₂O=1): 1.03

pH: N/D

Solubility in Water: Soluble in water

Boiling point: N/D

DISPOSAL.

SECTION 14 — TRANSPORT INFORMATION

DOT Classification: NOT REGULATED
IMDG Classification: NOT REGULATED
TDG Classification: NOT REGULATED
IATA Classification: NOT REGULATED
RID: NOT REGULATED

SECTION 15 — REGULATORY INFORMATION

OSHA Hazards: NO OSHA HAZARDS
SARA 311/312 Hazards: NO SARA HAZARDS

SECTION 16 — OTHER INFORMATION

Date of Issue: May 15 2020
Prepared By: Quality Assurance
Version: 2

***Disclaimer:** This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. No warranty, guarantee or representation is made as to the correctness and sufficiency of the information. It's the user's responsibility to determine safe conditions for the use of this product and to assume liability for loss, injury, or expense resulting from the misuse of this product.*