

CLARITY DIAGNOSTICS SAFETY DATA SHEET 1060 HOLLAND DRIVE STE A AND D BOCA RATON, FLORIDA 33487

TECH SUPPORT:1-877-485-7877

WWW.CLARITYDIAGNOSTICS.COM

Section 1: Identification

Trade Name: Clarity COVID-19 Antigen Visual Rapid Test Kit

Part Number: CLA-COV19AG-VIS

Manufactured by: SALOFA OY

Street Address: Orinkatu 15, 24100 Salo, Finland.

Section 2: Hazard(s) Identification

Emergency Overview- NOT HAZARDOUS

Device: Lead and other heavy metals-not used in/on device.

Desiccant granules sealed within packet non-toxic but can be irritant.

Bottle(s): 1x Phosphate buffer solution (PBS) preserved with < 0.02% Sodium Azide. The

product contains no substance which at their given concentration are considered to be

hazardous to health according to Directive 67/548/EEC.

Section 3: Product Composition/Information on Ingredients

Diagnostic test strip(s) with/without plastic cassette packaged in foil pouch with desiccant packet. Kit also includes plastic bottle with wash buffer.

Section 4: First Aid Measures

Rinse eyes if contacted by desiccant granules or buffer solution. If ingested, contact a physician.

Section 5: Fire Fighting Measures

As appropriate to plastic and paper (water, carbon dioxide, dry chemical, foam).

Section 6: Accidental Release Measures

Not applicable to device. Spilled buffer should be wiped up directly and the area cleaned.

Section 7: Handling and Storage

Room temperature (59-86°F / 15-30°C) storage for product longevity-more extreme conditions do not present safety hazard.

Section 8: Exposure Controls/Personal Protection

Not applicable to device. Applicable PPE for use environment.

Section 9: Physical/Chemical Properties

Appearance: Test strip or plastic cassette in foil pouch Buffer in plastic bottle

Physical Properties: Odorless, solid Odorless, liquid

Other (boiling point, solubility, pH, etc.): not applicable

33-0002 Rev. E 082115 Page 1 of 2



CLARITY DIAGNOSTICS SAFETY DATA SHEET 1060 HOLLAND DRIVE STE A AND D BOCA RATON, FLORIDA 33487

TECH SUPPORT:1-877-485-7877

WWW.CLARITYDIAGNOSTICS.COM

Section 10: Stability and Reactivity

Stability: Stable

Reactivity: No dangerous reactions known for device.

See insert or Certificate of Analysis for use of individual products.

Sodium Azide is at a concentration (< 0.02%) much lower than that which is

potentially reactive with metals and other substances.

Hazardous Polymerization: will not occur.

Hazardous Decomposition Products and Incompatibility-not known.

Section 11: Toxicological Information

Route of exposure: skin contact, eye contact & inhalation: granules within desiccant packet non-toxic but can be irritant.

Section 12: Ecological Information

No applicable information.

Section 13: Disposal Consideration

Device itself may be disposed as solid waste. Devices tested with patient samples should be handled as potentially biohazardous materials in accordance with federal, state and local regulations. The amount of Sodium Azide in the wash buffer will not cause disposal problems.

Section 14: Transport Information

Proper Shipping Name: None

Kits and devices: not dangerous, not hazardous and not restricted to transport by IATA.

Section 15: Regulatory Information

Not restricted for safety reasons.

Section 16: Other Information

The above information is believed to be correct but is not intended to be all inclusive and shall be used only as a guide. Clarity Diagnostics makes no warranty, express or implied, and assumes no liability for any damage resulting from the information contained above. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

33-0002 Rev. E 082115 Page 2 of 2