

11/13/2014

### Kit Components

Product code	Description
<b>256041</b>	<b>BD Veritor System™ Clinical Flu Test Kit</b>

Components:

256041a	Lateral Flow Test Strip
256041b	Flu A+/B- Control Swab
256041c	Flu B+/A- Control Swab
256041d	RV Reagent C

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**1 Identification**

- **Product Identifier**
- **Product Name:** Lateral Flow Test Strip  
(BD Veritor System™ Clinical Flu Test Kit)
- **Catalog Number:** 256041
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *In-vitro Diagnostics*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Telephone: (410) 771 - 0100 or (800) 638 – 8663  
Email Address: Technical\_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**  
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The substance is not classified according to the Globally Harmonized System (GHS).
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200, the Canada's Workplace Hazardous Materials Information System (WHMIS) and the European Directive 67/548/EEC and 1999/45/EC.
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **NFPA ratings (scale 0-4)**



- **HMIS ratings (scale 0-4)**



(Contd. on page 2)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 1)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterization: Substances**
- **CAS No. Description:**  
Not applicable

**4 First-aid measures**

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Seek medical treatment in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Information for doctor** Show this product label or this SDS.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:** No special measures required.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
(BD Veritor System™ Clinical Flu Test Kit)

(Contd. of page 2)

- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**  
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 2 - 30 °C
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:**  
No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

US

(Contd. on page 4)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 3)

**9 Physical and chemical properties**

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

Form: Solid.

Color: White

 · **Odor:** Characteristic

 · **Odor threshold:** Not determined.

 · **pH-value:** Not applicable.

 · **Change in condition** Undetermined

 · **Melting point/Melting range:** Not determined

 · **Boiling point/Boiling range:** Not determined

 · **Flash point:** Not applicable

 · **Flammability (solid, gaseous)** Product is not flammable.

 · **Ignition temperature:** 340 °C (644 °F)

 · **Decomposition temperature:** Not determined.

 · **Auto igniting:** Not determined.

 · **Danger of explosion:** Product does not present an explosion hazard.

 · **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

 · **Vapor pressure:** Not applicable.

 · **Density:** Not determined

 · **Relative density** Not determined.

 · **Vapour density** Not applicable.

 · **Evaporation rate** Not applicable.

 · **Solubility in / Miscibility with**

Water: Insoluble

 · **Partition coefficient (n-octanol/water):** Not determined.

 · **Viscosity:**

dynamic: Not applicable.

kinematic: Not applicable.

 · **Other information** No further relevant information available.

US

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 4)

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Incompatible material: strong oxidizers.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** No irritating effect.
  - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
The product is not subject to OSHA classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.  
The substance is not subject to classification.

· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 5)

- **Ecotoxicological effects:**
- **Other information:**  
*The ecological effects have not been thoroughly investigated, but currently none have been identified.*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** *No further relevant information available.*

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
*Smaller quantities can be disposed of with solid waste.  
 This product is not considered a RCRA hazardous waste.  
 Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.*
- **Uncleaned packagings:**
- **Recommendation:** *Disposal must be made according to state and federal regulations.*
- **Recommended cleansing agent:** *Water, if necessary with cleansing agents.*

### 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   | Void            |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| · <b>Class</b>   | Void            |
| · <b>Packing group</b>   |                 |
| · <b>DOT, ADR, IMDG, IATA</b>  | Void            |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Special precautions for user</b>  | Not applicable. |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |

(Contd. on page 7)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 6)

- |  |  |
|--|--|
| · <b>Transport/Additional information:</b> | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>            | -  |

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**

Substance is not listed.

- **SARA Section 313 (specific toxic chemical listings)**

Substance is not listed.

- **TSCA (Toxic Substances Control Act)**

Substance is not listed.

- **California Proposition 65 - Chemicals known to cause cancer**

Substance is not listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

- **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

- **California Proposition 65 - Chemicals known to cause developmental toxicity:**

Substance is not listed.

- **Carcinogenic categories**

- **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

- **GHS label elements** Void

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard statements** Void

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described

(Contd. on page 8)





**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Lateral Flow Test Strip**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 7)

herein, we can not guarantee that these are the only hazards that exist.

· **Department issuing SDS:**

Environmental, Health & Safety  
Created by Michael J. Spinazzola

· **Date of preparation / last revision** 11/13/2014 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

US

Date Prepared: 11/13/2014


Reviewed On: 07/14/2014

## 1 Identification

- **Product Identifier**
- **Product Name:** Flu A+/B- Control Swab  
(BD Veritor System™ Clinical Flu Test Kit)
- **Catalog Number:** 256041
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *In-vitro Diagnostics*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Telephone: (410) 771 - 0100 or (800) 638 – 8663  
Email Address: [Technical\\_Services@bd.com](mailto:Technical_Services@bd.com)
- **Information Department:** Technical Service
- **Emergency telephone number:**  
*In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.*

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
*The product is not classified according to the Globally Harmonized System (GHS).*
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
*This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200, the Canada's Workplace Hazardous Materials Information System (WHMIS) and the European Directive 67/548/EEC and 1999/45/EC.*
- **Classification system:**  
*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **NFPA ratings (scale 0-4)**



Health = 0  
Flammability = 0  
Reactivity = 0

(Contd. on page 2)

US

## Safety Data Sheet acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab  
(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 1)

· **HMIS ratings (scale 0-4)**

HEALTH	0	Health = 0
FIRE	0	Flammability = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Description:** Mixture consisting of the following components.

· **Dangerous Components:**

9002-93-1	Triton X-100	Xn R22; Xi R41; N R51/53	1.13%
-----------	--------------	--------------------------	-------

- **Additional information** Risk phrases refer to section 15.

### 4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Information for doctor** Show this product label or this SDS.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**  
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 2 - 30 °C
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:**  
No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Wash hands before breaks and at the end of work.

(Contd. on page 4)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 3)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid.
Color:	White
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
- **Flash point:** Not applicable
- **Flammability (solid, gaseous)** Not applicable.
- **Ignition temperature:**
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure:** Not determined.
- **Density:** Not determined
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 4)

- |   |  |
|---|--|
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix           |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>dynamic:</b>                                   | Not determined.                            |
| <b>kinematic:</b>                                 | Not determined.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 0.0 %                                      |
| · <b>Other information</b>                        | No further relevant information available. |

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
Incompatible material: strong oxidizers.  
Incompatible materials: acidic material and metals
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 5)

**· Carcinogenic categories****· IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

**· NTP (National Toxicology Program)**

None of the ingredients is listed.

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****· Toxicity**

- Aquatic toxicity:** No further relevant information available.
- Persistence and degradability** No further relevant information available.
- Bioaccumulative potential** No further relevant information available.
- Mobility in soil** No further relevant information available.

**· Ecotoxicological effects:****· Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

**· Results of PBT and vPvB assessment**

- PBT:** Not applicable.
- vPvB:** Not applicable.
- Other adverse effects** No further relevant information available.

**13 Disposal considerations****· Waste treatment methods****· Recommendation**

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

**· Uncleaned packagings:**

- Recommendation:** Disposal must be made according to state and federal regulations.
- Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information****· UN-Number****· DOT, ADR, ADN, IMDG, IATA**

Void

(Contd. on page 7)

US



# Safety Data Sheet acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab  
(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 6)

· <b>UN proper shipping name</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	-

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 8)



**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu A+/B- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 7)

**· California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories****· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

**· GHS label elements** Void**· Hazard pictograms** Void**· Signal word** Void**· Hazard statements** Void**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

**· Department issuing SDS:**

Environmental, Health &amp; Safety

Created by Michael J. Spinazzola

**· Date of preparation / last revision** 11/13/2014 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Date Prepared: 11/13/2014


Reviewed On: 07/14/2014

## 1 Identification

- **Product Identifier**
- **Product Name:** Flu B+/A- Control Swab  
(BD Veritor System™ Clinical Flu Test Kit)
- **Catalog Number:** 256041
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *In-vitro Diagnostics*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Telephone: (410) 771 - 0100 or (800) 638 – 8663  
Email Address: [Technical\\_Services@bd.com](mailto:Technical_Services@bd.com)
- **Information Department:** Technical Service
- **Emergency telephone number:**  
*In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.*

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
*The product is not classified according to the Globally Harmonized System (GHS).*
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
*This product contains no hazardous constituents, or the concentration of all chemical constituents are below the regulatory threshold limits described by Occupational Safety Health Administration Hazard Communication Standard 29 CFR 1910.1200, the Canada's Workplace Hazardous Materials Information System (WHMIS) and the European Directive 67/548/EEC and 1999/45/EC.*
- **Classification system:**  
*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*
- **Label elements**
- **GHS label elements** *Void*
- **Hazard pictograms** *Void*
- **Signal word** *Void*
- **Hazard statements** *Void*
- **NFPA ratings (scale 0-4)**



Health = 0  
Flammability = 0  
Reactivity = 0

(Contd. on page 2)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 1)

**· HMIS ratings (scale 0-4)**

HEALTH	0	Health = 0
FIRE	0	Flammability = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Description:** Mixture consisting of the following components.

**· Dangerous Components:**

9002-93-1	Triton X-100	Xn R22; Xi R41; N R51/53	1.13%
-----------	--------------	--------------------------	-------

- **Additional information** Risk phrases refer to section 15.

**4 First-aid measures**

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Information for doctor** Show this product label or this SDS.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.

(Contd. on page 3)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**  
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 2 - 30 °C
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:**  
No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Wash hands before breaks and at the end of work.

(Contd. on page 4)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 3)

- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Solid.
Color:	White
- **Odor:** Characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
- **Flash point:** Not applicable
- **Flammability (solid, gaseous)** Not applicable.
- **Ignition temperature:**
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Vapor pressure:** Not determined.
- **Density:** Not determined
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 4)

- |   |  |
|---|--|
| · <b>Solubility in / Miscibility with Water:</b>  | Not miscible or difficult to mix           |
| · <b>Partition coefficient (n-octanol/water):</b> | Not determined.                            |
| · <b>Viscosity:</b>                               |  |
| <b>dynamic:</b>                                   | Not determined.                            |
| <b>kinematic:</b>                                 | Not determined.                            |
| · <b>Solvent content:</b>                         |  |
| <b>Organic solvents:</b>                          | 0.0 %                                      |
| · <b>Other information</b>                        | No further relevant information available. |

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
Incompatible material: strong oxidizers.  
Incompatible materials: acidic material and metals
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:**  
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 6)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 5)

**· Carcinogenic categories****· IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

**· NTP (National Toxicology Program)**

None of the ingredients is listed.

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**12 Ecological information****· Toxicity****· Aquatic toxicity:** No further relevant information available.**· Persistence and degradability** No further relevant information available.**· Bioaccumulative potential** No further relevant information available.**· Mobility in soil** No further relevant information available.**· Ecotoxicological effects:****· Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

**· Results of PBT and vPvB assessment****· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects** No further relevant information available.**13 Disposal considerations****· Waste treatment methods****· Recommendation**

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

**· Uncleaned packagings:****· Recommendation:** Disposal must be made according to state and federal regulations.**· Recommended cleansing agent:** Water, if necessary with cleansing agents.**14 Transport information****· UN-Number****· DOT, ADR, ADN, IMDG, IATA**

Void

(Contd. on page 7)

US



# Safety Data Sheet acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab  
(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 6)

· <b>UN proper shipping name</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	Void
· <b>Transport hazard class(es)</b>	
· <b>DOT, ADR, ADN, IMDG, IATA</b>	
· <b>Class</b>	Void
· <b>Packing group</b>	
· <b>DOT, ADR, IMDG, IATA</b>	Void
· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	-

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

(Contd. on page 8)



**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 07/14/2014

**Product Name: Flu B+/A- Control Swab**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 7)

**· California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories****· TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

**· GHS label elements** Void**· Hazard pictograms** Void**· Signal word** Void**· Hazard statements** Void**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

**· Department issuing SDS:**

Environmental, Health &amp; Safety

Created by Michael J. Spinazzola

**· Date of preparation / last revision** 11/13/2014 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**1 Identification**

- **Product Identifier**
- **Product Name:** RV Reagent C  
(BD Veritor System™ Clinical Flu Test Kit)
- **Catalog Number:** 256041
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *In-vitro Diagnostics*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BD Diagnostic Systems  
7 Loveton Circle  
Sparks, MD 21152  
Telephone: (410) 771 - 0100 or (800) 638 – 8663  
Email Address: [Technical\\_Services@bd.com](mailto:Technical_Services@bd.com)
- **Information Department:** Technical Service
- **Emergency telephone number:**  
*In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.*


**2 Hazard(s) identification**

- **Classification of the substance or mixture**



*Skin Irrit. 2 H315 Causes skin irritation.*  
*STOT SE 3 H335 May cause respiratory irritation.*

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



*R36/37/38: Irritating to eyes, respiratory system and skin.*

- **Classification system:**

*The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.*

- **Label elements**

- **GHS label elements**

*The product is classified and labeled according to the Globally Harmonized System (GHS).*

- **Hazard pictograms**



GHS07

- **Signal word** *Warning*

(Contd. on page 2)

US

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 1)

**· Hazard-determining components of labeling:**

hydrochloric acid

Tris(hydroxymethyl)-Aminomethane

**· Hazard statements**

H315 Causes skin irritation.

H335 May cause respiratory irritation.

**· Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· NFPA ratings (scale 0-4)**


Health = 1

Flammability = 1

Reactivity = 0

**· HMIS ratings (scale 0-4)**


HEALTH 1 Health = 1

FIRE 1 Flammability = 1

REACTIVITY 0 Reactivity = 0

**· Other hazards**
**· Results of PBT and vPvB assessment**
**· PBT:** Not applicable.

**· vPvB:** Not applicable.

**3 Composition/information on ingredients**
**· Description:** Mixture consisting of the following components.

**· Dangerous Components:**

9002-93-1 Triton X-100

Xn R22; Xi R41; N R51/53 27.25%

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 2)

- **Additional information** Risk phrases refer to section 15.

**4 First-aid measures**

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**  
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **Information for doctor** Show this product label or this SDS.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

(Contd. on page 4)

US

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 3)

- **Information about protection against explosions and fires:**  
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** 2 - 30 °C
- **Information about storage in one common storage facility:**  
Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:**  
No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.
- **Protection of hands:**



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

US

(Contd. on page 5)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 4)

**9 Physical and chemical properties**

 · **Information on basic physical and chemical properties**

 · **General Information**

 · **Appearance:**

Form: Liquid

Color: Clear

 · **Odor:** Characteristic

 · **Odor threshold:** Not determined.

 · **pH-value:** Not determined.

 · **Change in condition**

Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

 · **Flash point:** Not applicable

 · **Flammability (solid, gaseous)** Not applicable.

 · **Ignition temperature:**

Decomposition temperature: Not determined.

 · **Auto igniting:** Product is not self igniting.

 · **Danger of explosion:** Product does not present an explosion hazard.

 · **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

 · **Vapor pressure:** Not determined.

 · **Density:** Not determined

 · **Relative density** Not determined.

 · **Vapour density** Not determined.

 · **Evaporation rate** Not determined.

 · **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix

 · **Partition coefficient (n-octanol/water):** Not determined.

 · **Viscosity:**

dynamic: Not determined.

kinematic: Not determined.

 · **Other information** No further relevant information available.

US

(Contd. on page 6)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 5)

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
 No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**  
 Incompatible material: strong oxidizers.  
 Incompatible materials: acidic material and metals
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:**  
 Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

**11 Toxicological information**

- **Information on toxicological effects**
  - **Acute toxicity:**
  - **LD/LC50 values that are relevant for classification:**
- |                                |      |                |
|--------------------------------|------|----------------|
| <b>26628-22-8 sodium azide</b> |      |                |
| Oral                           | LD50 | 27 mg/kg (rat) |
- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** Irritating effect.
  - **Sensitization:** No sensitizing effects known.
  - **Additional toxicological information:**  
 The product shows the following dangers according to internally approved calculation methods for preparations:  
 Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7647-01-0	hydrochloric acid	3
-----------	-------------------	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.		
------------------------------------	--	--

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.		
------------------------------------	--	--

US

(Contd. on page 7)

**Safety Data Sheet**  
 acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 6)

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Other information:**  
 The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation**  
 Smaller quantities can be disposed of with solid waste.  
 This product is not considered a RCRA hazardous waste.  
 Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

- |                                     |      |
|-------------------------------------|------|
| · <b>UN-Number</b>                  |      |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>  | Void |
| · <b>UN proper shipping name</b>    |      |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>  | Void |
| · <b>Transport hazard class(es)</b> |      |
| · <b>DOT, ADR, ADN, IMDG, IATA</b>  |      |
| · <b>Class</b>                      | Void |
| · <b>Packing group</b>              |      |
| · <b>DOT, ADR, IMDG, IATA</b>       | Void |

(Contd. on page 8)





**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 7)

- **Environmental hazards:**
- **Marine pollutant:** Yes
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Transport/Additional information:** Not dangerous according to the above specifications.
- **UN "Model Regulation":** -

**15 Regulatory information**

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

7647-01-0	hydrochloric acid
26628-22-8	sodium azide

· **SARA Section 313 (specific toxic chemical listings)**

7647-01-0	hydrochloric acid
26628-22-8	sodium azide

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **TLV (Threshold Limit Value established by ACGIH)**

7647-01-0	hydrochloric acid	A4
26628-22-8	sodium azide	A4

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 8)

**· Hazard pictograms**

GHS07

**· Signal word** Warning**· Hazard-determining components of labeling:**

hydrochloric acid

Tris(hydroxymethyl)-Aminomethane

**· Hazard statements**

H315 Causes skin irritation.

H335 May cause respiratory irritation.

**· Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

**· Department issuing SDS:**

Environmental, Health &amp; Safety

Created by Michael J. Spinazzola

**· Date of preparation / last revision** 11/13/2014 / -

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Date Prepared: 11/13/2014

Reviewed On: 10/20/2014

**Product Name: RV Reagent C**  
**(BD Veritor System™ Clinical Flu Test Kit)**

(Contd. of page 9)

**· Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2*

*STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3*

US