

SAFETY DATA SHEET

Product Name: Mepivacaine Hydrochloride Injection USP, 3%

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Manufacturer Name And Address	Hospira, Inc. 275 North Field Drive Lake Forest, Illinois 60045 USA
Emergency Telephone	CHEMTREC: North America: 800-424-9300; International 1-703-527-3887; Australia - 61-290372994; UK - 44-870-8200418
Hospira, Inc., Non-Emergency	224 212-2000
Product Name	Mepivacaine Hydrochloride Injection USP, 3%
Synonyms	2-Piperidinecarboxamide, N-(2,6-dimethylphenyl)-1-methyl, monohydrochloride

2. HAZARD(S) IDENTIFICATION

Emergency Overview

Mepivacaine Hydrochloride Injection USP, 3% is a solution containing mepivacaine hydrochloride, an amide-type local anesthetic used as a local anesthetic for pain management. In the workplace, this material should be considered potentially irritating to the skin, eyes and respiratory tract. Based on clinical use, possible target organs include the nervous system and cardiovascular system.

U.S. OSHA GHS Classification

Physical Hazards	Hazard Class	Hazard Category	
	Not Classified	Not Classified	
Health Hazards	Hazard Class	Hazard Category	
	STOT – RE	2	

Label Element(s)

Pictogram

Signal Word	Warning
Hazard Statement(s)	May cause damage to organs through prolonged or repeated exposure
Precautionary Statement(s) Prevention	Do not breathe vapor or spray Wash hands thoroughly after handling
Response	Get medical attention if you feel unwell.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient Name
Chemical Formula

Mepivacaine Hydrochloride $C_{15}H_{22}N_2O \bullet HCl$

Component	Approximate Percent by Weight	CAS Number	RTECS Number		
Mepivacaine Hydrochloride	3	1722-62-9	TK6475000		
Non-hazardous ingredients include Water for Injection. Hazardous ingredients present at <1% include sodium chloride. Sodium hydroxide					
and/or hydrochloric acid are used to adjust the pH.					

4. FIRST AID MEASURES

Eye Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Skin Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Inhalation	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Ingestion	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability	None anticipated for this aqueous product.
Fire & Explosion Hazard	None anticipated for this aqueous product.
Extinguishing Media	As with any fire, use extinguishing media appropriate for primary cause of fire such as carbon dioxide, dry chemical extinguishing powder or foam.
Special Fire Fighting Procedures	No special provisions required beyond normal firefighting equipment such as flame and chemical resistant clothing and self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and DisposalIsolate area around spill. Put on suitable protective clothing and equipment as
specified by site spill control procedures. Absorb the liquid with suitable material and
clean affected area with soap and water. Dispose of spill materials according to the
applicable federal, state, or local regulations.

7. HANDLING AND STORAGE

Handling	No special handling required for hazard control under conditions of normal product use.
Storage	No special storage required for hazard control. For product protection, follow storage recommendations noted on the product case label, the primary container label, or the product insert.
Special Precautions	No special precautions required for hazard control.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

		Exposure Limits			
Component	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL	
Mepivacaine Hydrochloride	8 hr TWA: Not	8 hr TWA: Not	8 hr TWA: Not	8 hr TWA: Not	
Niepivacanie Hydrochionde	Established	Established	Established	Established	
Notes: OSHA PEL: US Occupationa ACGIH TLV: American Con AIHA WEEL: Workplace En EEL: Employee Exposure Li TWA: 8 hour Time Weighte	nference of Governmental Indu wironmental Exposure Level imit.	1			
Respiratory Protection	if the generation of a adequate to control respirator with a HE conditions where ain uncontrolled release that offer a high pro supplied air. A resp and ANSI Z88.2 rec	ton is normally not need aerosols is likely, and e potential airborne expo EPA cartridge (N95 or e rborne aerosol concentre e events, or if exposure stection factor such as a piratory protection prog quirements must be foll se. Personnel who weat ator use as required.	ngineering controls a sures, the use of an ap quivalent) is recomm ations are not expected levels are not known, powered air purifyin ram that meets OSHA	re not considered oproved air-purifying ended under ed to be excessive. Fo provide respirators g respirator or s 29 CFR 1910.134 place conditions	
Skin Protection	If skin contact with the product formulation is likely, the use of latex or nitrile gloves is recommended.				
Eye Protection	Eye protection is normally not required during intended product use. However, if e contact is likely to occur, the use of chemical safety goggles (as a minimum) is recommended.				
Engineering Controls	Engineering controls are normally not needed during the normal use of this product.				

9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State	Sterile, isotonic, clear, colorless solution
Odor	NA
Odor Threshold	NA
рН	Between 4.5 and 6.8
Melting point/Freezing Point	NA
Initial Boiling Point/Boiling Point Range	NA
Flash Point	NA
Evaporation Rate	NA
Flammability (solid, gas)	NA
Upper/Lower Flammability or Explosive Limits	NA
Vapor Pressure	NA
Vapor Density (Air =1)	NA
Relative Density	NA
Solubility	Soluble in water
Partition Coefficient: n-octanol/water	NA
Auto-ignition Temperature	NA
Decomposition Temperature	NA
Viscosity	NA



10. STABILITY AND REACTIVITY

Reactivity	Not determined.
Chemical Stability	Stable under standard use and storage conditions.
Hazardous Reactions	Not determined
Conditions to Avoid	Not determined
Incompatibilities	Strongly alkaline conditions. Methyl vinyl ether; zinc.
Hazardous Decomposition Products	Not determined. During thermal decomposition, it may be possible to generate irritating vapors and/or toxic fumes of carbon oxides (COx), nitrogen oxides (NOx), and hydrogen chloride.
Hazardous Polymerization	Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity: - Not determined for the product formulation. Information for the active ingredient is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
				32	mg/kg	Mouse
Mepivacaine Hydrochloride	100	LD50	Intravenous	22	mg/kg	Rabbit
				20	mg/kg	Guinea Pig
				260	mg/kg	Mouse
Mepivacaine Hydrochloride	100	LD50	Subcutaneous	110	mg/kg	Rabbit
1 2				94	mg/kg	Guinea Pig
Moniyooging	100	LD50	Oral	>5000	mg/kg	Rat
Mepivacaine	100	LD30	Ural	>5000	mg/kg	Mouse
Maniyaaaina	100	LD50	Intravenous	30	mg/kg	Rat
Mepivacaine	100	LD30	muravenous	35	mg/kg	Mouse
Maniwagaina	100	LD50	Subcutaneous	500	mg/kg	Rat
Mepivacaine	100	LD50	Subcutaneous	270	mg/kg	Mouse

LD 50: Dosage that produces 50% mortality.

Occupational Exposure Potential

Signs and Symptoms

Information on the absorption of this product via inhalation or skin contact is not available. Published reports have indicated that similar local anesthetics have some potential to be absorbed through intact skin. Avoid liquid aerosol generation and skin contact.

None anticipated from normal handling of this product. Inadvertent contact with this product may cause irritation, followed by numbness. Ingestion may cause numbness of the tongue and anesthetic effects on the stomach. In clinical use, this product produces numbress when injected. In normal clinical use, adverse effects may include fever, headaches, agitation, tingling of extremities, general hypotension, bradycardia, dizziness, nausea, vomiting, anemia, back pain, post-operative pain and fetal distress. Systemic absorption can produce central nervous system (CNS) stimulation and/or CNS depression. CNS depression may progress to coma and cardio-respiratory arrest. Signs of cardiovascular toxicity may include changes in cardiac conduction, excitability, refractoriness, contractility, and peripheral vascular resistance. Toxic blood levels may cause atrioventricular block, ventricular arrhythmias, cardiac arrest, and sometimes death. In addition, decreased cardiac output and arterial blood pressure may occur. Allergic-type reactions are rare and may occur as a result of sensitivity to the local anesthetic or to other formulation ingredients. These reactions are characterized by signs such as urticaria, pruritus, erythema, angioneurotic edema (including laryngeal edema), tachycardia, sneezing, nausea, vomiting, dizziness, syncope, excessive sweating, elevated temperature, and possibly, anaphylactic-like symptoms (including severe hypotension). Cross sensitivity with other amide-type local anesthetics has been reported.



11. TOXICOLOGICAL INFORMATION: continued

Aspiration Hazard	None anticipated from normal handling of this product.		
Dermal Irritation/ Corrosion	None anticipated from normal handling of this product. However, inadvertent contact with this product may be irritating to broken skin and mucous membranes, and may produce numbness.		
Ocular Irritation/ Corrosion	None anticipated from normal handling of this product. However, inadvertent contact of this product with eyes may produce irritation, numbness, and blurred vision.		
Dermal or Respiratory Sensitization	None anticipated from normal handling of this product. However, inadvertent contact of this product with the respiratory system may produce irritation and numbness. Rarely, allergic-type reactions have been reported during the clinical use of mepivacaine.		
Reproductive Effects	None anticipated from normal handling of this product. Animal reproductive toxicity studies have not been conducted with mepivacaine.		
Mutagenicity	The mutagenic potential of mepivacaine has not been evaluated.		
Carcinogenicity	Long-term studies in animals to evaluate the carcinogenic potential of most local anesthetics, including mepivacaine hydrochloride, have not been conducted.		
Carcinogen Lists	IARC: Not listed	NTP: Not listed	OSHA: Not listed
Specific Target Organ Toxicity – Single Exposure	NA		
Specific Target Organ Toxicity – Repeat Exposure	Based on clinical use, possible target organs include the nervous system and the cardiovascular system.		
12. ECOLOGICAL INFOR	MATION		
Aquatic Toxicity	Not determined for produc	et.	
Persistence/Biodegradability	Not determined for product.		

Bioaccumulation	Not determined for product.
Mobility in Soil	Not determined for product.

13. DISPOSAL CONSIDERATIONS

Waste Disposal	All waste materials must be properly characterized. Further, disposal should be performed in accordance with the federal, state or local regulatory requirements.
Container Handling and Disposal	Dispose of container and unused contents in accordance with federal, state and local regulations.



14. TRANSPORTATION INFORMATION

ADR/ADG/ DOT STATUS Proper Shipping Name Hazard Class UN Number Packing Group Reportable Quantity	Not regulated NA NA NA NA NA NA
ICAO/IATA STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA
IMDG STATUS	Not regulated
Proper Shipping Name	NA
Hazard Class	NA
UN Number	NA
Packing Group	NA
Reportable Quantity	NA

Notes: DOT - US Department of Transportation Regulations

15. REGULATORY INFORMATION

US TSCA Status	Exempt. However, mepivacaine hydrochloride is listed on the TSCA inventory.
US CERCLA Status	Not listed
US SARA 302 Status	Not listed
US SARA 313 Status	Not listed
US RCRA Status	Not listed
US PROP 65 (Calif.)	Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65

<u>GHS/CLP Classification*</u> *In the EU, classification under GHS/CLP does not apply to certain substances and mixtures, such as medicinal products as defined in Directive 2001/83/EC, which are in the finished state, intended for the final user.

Hazard Class	Hazard Category	Pictogram	Signal Word	Hazard Statement
NA	NA	NA	NA	NA
Prevention	Do not breathe vapor or spray Wash hands thoroughly after handling			
Response	Get medical attention if you feel unwell.			
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.			
EU Classification*	*Medicinal products are exempt from the requirements of the EU Dangerous Preparations Directive.			
Classification(s) Symbol Indication of Danger Risk Phrases Safety Phrases	NA NA NA S23: Do not breathe va S24: Avoid contact wit S25: Avoid contact wit S37/39 Wear suitable g	h the skin h eyes	protection.	

June 02, 2014



16. OTHER INFORMATION

Notes:

American Conference of Governmental Industrial Hygienists – Threshold Limit Value
Chemical Abstracts Service Number
US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act
US Department of Transportation Regulations
Employee Exposure Limit
International Air Transport Association
Dosage producing 50% mortality
Not applicable/Not available
Not established
National Institute for Occupational Safety and Health
US Occupational Safety and Health Administration – Permissible Exposure Limit
California Proposition 65
US EPA, Resource Conservation and Recovery Act
Registry of Toxic Effects of Chemical Substances
Superfund Amendments and Reauthorization Act
15-minute Short Term Exposure Limit
Specific Target Organ Toxicity – Single Exposure
Specific Target Organ Toxicity – Repeated Exposure
Toxic Substance Control Act
8-hour Time Weighted Average
Hospira GEHS
October 18, 2012

Disclaimer:

Date Revised:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.