

SAFETY DATA SHEET

SECTION 1 : IDENTIFICATION

Product Name: **Muri-Lube**
Manufacturer Name: Fresenius Kabi USA, LLC
Address: Three Corporate Drive
 Lake Zurich, Illinois 60047
General Phone Number: (847) 550-2300
Customer Service Phone Number: (888) 386-1300
Health Issues Information: (800) 551-7176
SDS Creation Date: September 02, 2010
SDS Revision Date: January 15, 2014

SECTION 2 : HAZARD(S) IDENTIFICATION

Emergency Overview: This product is intended to be used as a lubricant for surgical instruments. Muri-Lube® is not intended for parenteral or oral use. Occupational exposure has not been fully investigated.
Route of Exposure: Inhalation Ingestion Eye contact Skin Absorption. Injection.
Potential Health Effects:
Eye: Contact with eyes may cause irritation.
Aggravation of Pre-Existing Conditions: Pre-existing skin and respiratory conditions.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	Ingredient Percent	EC Num.
Light Mineral Oil	8042-47-5	Quantity Sufficient	
Vitamin E	59-02-9	Not Given	

SECTION 4 : FIRST AID MEASURES

Eye Contact: Immediately flush eyes with plenty of water for at least 15 to 20 minutes. Ensure adequate flushing of the eyes by separating the eyelids with fingers. Get immediate medical attention.
Skin Contact: Immediately wash skin with plenty of soap and water for 15 to 20 minutes, while removing contaminated clothing and shoes. Get medical attention if irritation develops or persists.
Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Seek immediate medical attention.
Ingestion: If conscious, flush mouth out with water immediately. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Other First Aid: For Adverse Event Information, please call (800) 551-7176.

SECTION 5 : FIRE FIGHTING MEASURES

Flash Point: Not established.
Flash Point Method: Not established.
Auto Ignition Temperature: Not established.
Lower Flammable/Explosive Limit: Not established.
Upper Flammable/Explosive Limit: Not established.
Fire Fighting Instructions: Evacuate area of unprotected personnel. Use cold water spray to cool fire exposed containers to minimize risk of rupture. Do not enter confined fire space without full protective gear. If possible, contain fire run-off water.
Extinguishing Media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water fog or spray when fighting fires

involving this material.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Protective Equipment:	As in any fire, wear Self-Contained Breathing Apparatus (SCBA), MSHA/NIOSH (approved or equivalent) and full protective gear.
Hazardous Combustion Byproducts:	Thermal decomposition products may include smoke and toxic fumes. Oxides of carbon, oxides of nitrogen and other organic substances may be formed. Other undetermined low molecular weight hydrocarbon compounds may be released in small quantities depending upon specific conditions of combustion.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

Personnel Precautions:	Evacuate area and keep unnecessary and unprotected personnel from entering the spill area. Avoid personal contact and breathing vapors or mists. Use proper personal protective equipment as listed in Section 8.
Environmental Precautions:	Avoid runoff into storm sewers, ditches, and waterways.
Methods for containment:	Contain spills with an inert absorbent material such as soil, sand or oil dry.
Methods for cleanup:	Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. After removal, flush spill area with soap and water to remove trace residue.

SECTION 7 : HANDLING and STORAGE

Handling:	When handling pharmaceutical products, avoid all contact and inhalation of vapor, mists and/or fumes. Use with adequate ventilation. Use only in accordance with directions.
Storage:	Store at controlled room temperature 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature].
Work Practices:	Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Hygiene Practices:	Wash thoroughly after handling. Avoid contact with eyes and skin. Avoid inhaling vapor or mist.

SECTION 8: EXPOSURE CONTROLS, PERSONAL PROTECTION

Engineering Controls:	Good general ventilation should be sufficient to control airborne levels. Otherwise, use appropriate engineering control such as process enclosures, local exhaust ventilation, or other engineering controls including use of a biosafety cabinet / fume hood to control airborne levels below recommended exposure limits.
Eye/Face Protection:	Chemical splash goggles. Wear a face shield also when splash hazard exist.
Skin Protection Description:	Protective laboratory coat, apron, or disposable garment recommended.
Hand Protection Description:	Wear appropriate protective gloves. Consult glove manufacturer's data for permeability data. Nitrile rubber or natural rubber gloves are recommended.
Respiratory Protection:	The need for respiratory protection will vary according to the airborne concentrations and environmental conditions. A NIOSH approved air-purifying respirator with an organic vapor cartridge or canister may be permissible under certain circumstances. Consult the NIOSH web site (http://www.cdc.gov/niosh/npptl/topics/respirators/) for a list of respirator types and approved suppliers.
Other Protective:	Consult with local procedures for selection, training, inspection and maintenance of the personal protective equipment.

EXPOSURE GUIDELINES

SECTION 9 : PHYSICAL and CHEMICAL PROPERTIES

Physical State:	Liquid solution.
Color:	Colorless.
Odor:	Odorless.
Boiling Point:	Not established.
Melting Point:	Not established.
Solubility:	Insoluble. in water.
Vapor Density:	Not established.
Vapor Pressure:	Not established.
Percent Volatile:	Not established.
pH:	Not established.
Molecular Formula:	Mixture
Molecular Weight:	Not established.
Flash Point:	Not established.
Flash Point Method:	Not established.
Auto Ignition Temperature:	Not established.

SECTION 10 : STABILITY and REACTIVITY

Chemical Stability:	Stable under normal temperatures and pressures.
Hazardous Polymerization:	Not reported.
Conditions to Avoid:	No conditions contributing to instability are known to exist for normal handling of this product.

SECTION 11 : TOXICOLOGICAL INFORMATION

Light Mineral Oil :

RTECS Number: PY8047000

Vitamin E :

RTECS Number: DJ2900000

Ingestion: Oral - Mouse LD50: >25 mL/kg [Details of toxic effects not reported other than lethal dose value]

Other Toxicological Information: Intravenous. - Rat TDLo: 20 mg/kg [Cardiac - other changes Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol) Biochemical - Metabolism (Intermediary) - lipids including transport]
Intravenous. - Rat TDLo: 1200 units/kg/6W (intermittent) [Liver - other changes Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - multiple enzyme effects Biochemical - Metabolism (Intermediary) - lipids including transport]
Intravenous. - Rat TDLo: 1200 units/kg/6W (intermittent) [Cardiac - other changes Biochemical - Metabolism (Intermediary) - lipids including transport]
Intravenous. - Rat DNA adduct: 27 nmol/kg
Intraperitoneal. - Rat TDLo: 10 mg/kg [Liver - other changes Blood - changes in serum composition (e.g. TP, bilirubin, cholesterol) Biochemical - Metabolism (Intermediary) - lipids including transport]
Intraperitoneal. - Rat TDLo: 600 mg/kg [Kidney/Ureter/Bladder - other changes Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - catalases Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - other oxidoreductases]
Intraperitoneal. - Mouse TDLo: 10 mg/kg [Behavioral - rigidity (including catalepsy)]
Intraperitoneal. - Rat TDLo: 40 mg/kg [Liver - other changes Biochemical - Metabolism (Intermediary) - lipids including transport]
Intraperitoneal. - Mouse TDLo: 300 mg/kg/3D (intermittent) [Behavioral - convulsions or effect on seizure threshold]
Intraperitoneal. - Rat TDLo: 560 mg/kg/28D (intermittent) [Kidney/Ureter/Bladder - other changes in urine composition Kidney/Ureter/Bladder - other changes]
Intraperitoneal. - Mouse TDLo: 300 mg/kg/3D (intermittent) [Biochemical - Metabolism (Intermediary) - effect on inflammation or mediation of inflammation]
Intraperitoneal. - Rat : 45 mg/kg/3D (intermittent) [Liver - other changes Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - hepatic microsomal mixed oxidase (dealkylation, hydroxylation, etc.) Biochemical - Enzyme inhibition, induction, or change in blood or tissue levels - transaminases]
Intraperitoneal. - Rat TDLo: 20 mg/kg/2D (intermittent) [Lungs, Thorax, or Respiration - other changes Biochemical - Metabolism (Intermediary) - effect on inflammation or mediation of inflammation]
Intraperitoneal. - Mouse TDLo: 300 mg/kg/3D (intermittent) [Biochemical - Metabolism (Intermediary) - other]
Intraperitoneal. - Rat TDLo: 10000 mg/kg/5D (intermittent) [Brain and Coverings - recordings from specific areas of CNS Biochemical - Metabolism (Intermediary) - other]

SECTION 12 : ECOLOGICAL INFORMATION

Ecotoxicity:	No ecotoxicity data was found for the product.
Environmental Stability:	No environmental information found for this product.

SECTION 13 : DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of in accordance with Local, State, Federal and Provincial regulations.

SECTION 14 : TRANSPORT INFORMATION

DOT Shipping Name:	Not Regulated.
DOT UN Number:	Not Regulated.

SECTION 15 : REGULATORY INFORMATION

Light Mineral Oil :

TSCA Inventory Status: Listed
EINECS Number: 232-455-8
Canada DSL: Listed

Vitamin E :

TSCA Inventory Status: Listed
EINECS Number: 200-412-2

SECTION 16 : ADDITIONAL INFORMATION

HMIS Ratings:

HMIS Health Hazard:	1
HMIS Fire Hazard:	0
HMIS Reactivity:	0
HMIS Personal Protection:	X

SDS Creation Date: September 02, 2010

SDS Revision Date: January 15, 2014

Disclaimer:

The information contained herein pertains to this material. It is the responsibility of each individual party to determine for themselves the proper means of handling and using these materials based on their purpose and intended use. Fresenius-Kabi assumes no liability resulting from the use of or reliance upon the information contained in this material safety data sheet. This material safety data sheet does not constitute the guaranty or specifications of the product.

Copyright© 1996-2015 Actio Corporation. All Rights Reserved.