

Safety Data Sheet



Bristol-Myers Squibb Company

1. IDENTIFICATION			
<i>Product Information</i>			
Product name	KENALOG®-10 and 40 mg/ml (triamcinolone acetonide) Injectable Suspension		
Version	1.0, 24.02.2015		
Jurisdiction	This Safety Data Sheet was prepared in accordance with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) for the United States of America (USA) (CFR 1910.1200), European Union (EU) (EC 1272/2008) and United Nations (UN). The following countries utilize the UN GHS classification process: Mexico, Brazil, China, New Zealand, Canada, Japan, Korea and Australia.		
Active substance	Pregna-1,4-diene-3,20-dione, 9-fluoro-11,21-dihydroxy-16,17-[(1-methylethylidene)bis(oxy)]-, (11.beta.,16.alpha.)-		
Synonyms	Sterile Triamcinolone Acetonide Suspension USP; Kenalog-10 Injection; Kenalog-40 Injection; Albicort; Kenacort		
Intended Uses	This material is a finished drug product for patient use. This material is used to provide relief of inflammatory and pruritic skin conditions.		
<i>Company/Undertaking Identification</i>			
Address	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <u>USA</u> Bristol-Myers Squibb Company P.O. Box 191 New Brunswick, New Jersey 08903 United States of America 1-800-332-2056 </td> <td style="width: 50%; vertical-align: top;"> <u>Ireland</u> Bristol-Myers Squibb Company Swords Laboratories, Watery Lane Swords, Ireland MG-GBS-MSDS-Request@bms.com 353-1813-9456 </td> </tr> </table>	<u>USA</u> Bristol-Myers Squibb Company P.O. Box 191 New Brunswick, New Jersey 08903 United States of America 1-800-332-2056	<u>Ireland</u> Bristol-Myers Squibb Company Swords Laboratories, Watery Lane Swords, Ireland MG-GBS-MSDS-Request@bms.com 353-1813-9456
<u>USA</u> Bristol-Myers Squibb Company P.O. Box 191 New Brunswick, New Jersey 08903 United States of America 1-800-332-2056	<u>Ireland</u> Bristol-Myers Squibb Company Swords Laboratories, Watery Lane Swords, Ireland MG-GBS-MSDS-Request@bms.com 353-1813-9456		
Emergency Phone No.	<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> USA (also Canada, Puerto Rico and the Virgin Island): 1-800-424-9300 Other Countries: See "Section 16" for country-specific emergency phone numbers from CHEMTREC. </td> <td style="width: 50%; vertical-align: top;"> <u>Ireland</u>: 353-1813-9456 </td> </tr> </table>	USA (also Canada, Puerto Rico and the Virgin Island): 1-800-424-9300 Other Countries: See "Section 16" for country-specific emergency phone numbers from CHEMTREC.	<u>Ireland</u> : 353-1813-9456
USA (also Canada, Puerto Rico and the Virgin Island): 1-800-424-9300 Other Countries: See "Section 16" for country-specific emergency phone numbers from CHEMTREC.	<u>Ireland</u> : 353-1813-9456		

2. HAZARDS IDENTIFICATION	
Classification and Labelling Common to All Jurisdictions	
Classification	Toxic To Reproduction - Reproductive Toxicity - Category 1A Toxic To Reproduction - Developmental Toxicity - Category 1A Effects On Or Via Lactation
Symbol	
Signal Word	Danger
Hazard Statements	May damage fertility (male reproductive toxicity, female reproductive toxicity) . May damage the unborn child (developmental toxicity) . May cause harm to breast-fed children.
Precautionary	Do not breathe dust.

2. HAZARDS IDENTIFICATION	
Statements	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact during pregnancy/while nursing. Use personal protective equipment as required.
Classification and Labelling for Specific Jurisdictions	
USA	
Classification	Specific Target Organ Systemic Toxicity (Repeated Exposure) - Category 1
Hazard Statements	Causes damage to organs (adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin) through prolonged or repeated exposure.
Precautionary Statements	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.
EU	
Classification	Specific Target Organ Systemic Toxicity (Repeated Exposure) - Category 2
Hazard Statements	May cause damage to organs (adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin) through prolonged or repeated exposure.
UN	
Classification	Specific Target Organ Systemic Toxicity (Repeated Exposure) - Category 1
Hazard Statements	Causes damage to organs (adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin) through prolonged or repeated exposure.
Precautionary Statements	Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS					
Components	Concentration	CAS No.	EU only		
			EC No./REACH Registration No.	Symbol(s)/R-pharse(s)	H-code(s)
<i>Hazardous components</i> Triamcinolone Acetonide	1 - 4 %	76-25-5	200-948-7	T: R60, R61, R64, R66	H360F H360D H362 H372
Benzyl Alcohol	<= 1 %	100-51-6	202-859-9	Xn: R20/22	H302 H332

					H335
<i>Other ingredients</i>					
Non-Hazardous Ingredients	> 90 %	Not available	--	--	--
Other information: Sodium hydroxide and/or hydrochloric acid are used for pH adjustment. See section 16 for Symbol, R-phrase and H-code text.					

4. FIRST AID MEASURES

Eye contact	Rinse immediately with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. If exposed or concerned: Get medical attention/advice.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Discard contaminated clothing or wash before re-use. If exposed or concerned: Get medical attention/advice.
Inhalation	Move to fresh air. Oxygen or artificial respiration if needed. If exposed or concerned: Get medical attention/advice.
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If exposed or concerned: Get medical attention/advice.
Notes to Physician	Medical conditions aggravated include: diabetes, liver disorders, infection, immunodeficiency, hypertension, myasthenia gravis, osteoporosis, peptic ulcer, psychotic disorders, colitis, kidney disorders. This product has been reported to interact with the following medications: diuretic, cyclosporine, immunosuppressants, NSAID (non-steroidal antiinflammatory drugs), drugs metabolized by cytochrome P-450, drugs that cause hyperglycemia, oral hypoglycemic drugs, neuromuscular blocking agents, fluoroquinolone antibiotics, certain vaccines, drugs that inhibit cytochrome P-450. Refer to Section 11.
Medical Surveillance	The need for a pre-placement physical examination and history for employees with potential exposure to this compound is to be evaluated by a physician that is thoroughly knowledgeable about both the toxicity of this compound and the extent of work place exposure. Baseline testing would include: blood glucose test, a complete blood count with differential, a blood test for liver function, a blood test for kidney function. Based on opportunity for exposure and duration of exposure a periodic follow-up examination may be considered. Employees who are pregnant, are breast-feeding, or who are concerned with other reproductive issues should be encouraged to consult with the occupational health physician monitoring worker's health.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not available
Extinguishing Media	Suitable extinguishing media: Dry chemical, Water spray, Foam Unsuitable extinguishing media: Do NOT use water jet.
Protection of Firefighters	Specific hazards: Refer to HAZARDS IDENTIFICATION section for a description of hazards for this material. Protective equipment: Use personal protective equipment. In the event of fire, wear self-contained breathing apparatus. Hazardous Combustion Products: carbon oxides (COx), hydrogen halides Further Information: HCl gas can form flammable or explosive mixtures with alcohols or metals. In the event of fire and/or explosion do not breathe fumes.
Other information	Decontaminate protective clothing and equipment before reuse.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Examples include tightly fitting safety goggles, lab coat and impervious gloves. Wear respiratory protection. Depending on the nature of the spill (quantity and extent of spill) additional protective clothing and equipment such as a self-contained breathing apparatus may be needed.
Environmental precautions	Prevent release to drains and waterways. Prevent release to the environment.
Containment Methods	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Cleanup Methods	Contain and collect spillage and place in container for disposal according to local regulations (see Section 13). Clean area with detergent and water after spill pick-up, if appropriate. Handle waste materials, including gloves, protective clothing, contaminated spill cleanup material, etc., as appropriate for chemically and pharmacologically similar materials.

7. HANDLING AND STORAGE

Handling Precautions	Avoid exposure - obtain special instructions before use. Avoid inhalation of vapour or mist. Keep away from heat and sources of ignition. Prevent release to drains and waterways.
Container Requirements	Store in sturdy containers appropriate to maintain the integrity of this material for its intended use. Store in spill containment pallet or other device to confine spills.
Storage Conditions	Store at room temperature. Protect against light. Keep away from heat, sparks and flames. Store locked up.
Specific use(s)	Refer to Section 1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limit(s)	Company Guideline	ACGIH	Germany OEL	UK MEL
Triamcinolone Acetonide	1 µg/m ³ 8 hour-TWA (Skin)	--	--	--
Benzyl Alcohol		--	--	--
Sodium Hydroxide		2 mg/m ³ Ceiling	--	--
Hydrochloric Acid		2 ppm Ceiling	5 ppm MAK 7.6 mg/m ³ MAK 2 ppm TWA 3 mg/m ³ TWA 4 ppm Peak 6 mg/m ³ Peak 2 ppm MAK 3.0 mg/m ³ MAK	5 ppm STEL 1 ppm TWA 2 mg/m ³ TWA

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Benzyl Alcohol	Occupational Exposure Limits have been established by: - Czech Republic - Poland - Latvia
Sodium Hydroxide	Occupational Exposure Limits have been established by: - Austria - Belgium - Switzerland - Czech Republic - Denmark - Estonia - Spain - Finland - France - Greece - Hungary - Ireland - Norway - Poland - Portugal - Sweden - Latvia
Hydrochloric Acid	Occupational Exposure Limits have been established by: - Austria - Belgium - Switzerland - Czech Republic - Denmark - Estonia - Spain - Finland - France - Greece - Hungary - Ireland - Italy - The Netherlands - Norway - Poland - Portugal - Sweden - Latvia
Recommended Industrial Hygiene Monitoring Methods	Contact the Bristol-Myers Squibb AIHA accredited Industrial Hygiene Laboratory at (USA) 732-227-6338. General - The health hazard risk of handling this material is dependent on many factors, including physical form, % API in material being handled, duration and frequency of process task, and effectiveness of controls. If it is necessary to handle this compound outside of engineering controls, an exposure risk assessment should be conducted and procedures documented by a qualified EHS professional.

EXPOSURE CONTROLS / PERSONAL PROTECTION FOR MATERIAL AS SUPPLIED

This formulation contains an active pharmaceutical ingredient (API) with the guideline limit noted above. To keep the API below the recommended guideline, the material as supplied should be controlled during handling to limit total airborne aerosol exposure to: 25 µg/m³.

Engineering Controls and Ventilation
FOR MANUFACTURING PROCESSES (BULK): Use process enclosures, containment technology, or other engineering controls to keep airborne levels below recommended exposure limit. When handling quantities up to 150 milligrams, a standard laboratory with general laboratory dilution ventilation (e.g. 6-12 air changes per hour) is appropriate. When handling quantities from 150 milligrams to 1 kilogram, work in a standard laboratory using a fume hood; biological safety cabinet(Class II, all types); and, approved vented enclosure. Quantities exceeding 1 kilogram should be handled in a designated laboratory using laminar flow/powder containment booth. When handling solutions with low energy operations (pipette transfers, pouring, low velocity stirring, fraction collection, etc.) use protective shielding to limit the spread of splash or splatter. For manufacturing and pilot plant operations, use direct coupling and closed transfer systems for all bulk transfers. Use dust tight valves as appropriate. HEPA filtration of local exhaust ventilation (LEV) is required. FOR CLINICAL SETTING USE (DRUG PRODUCT): When handling small quantities in a clinical setting, good room ventilation is desirable. Specific engineering controls should not be needed.

Respiratory protection
Use and selection of respiratory protection is based upon engineering controls in use and potential for aerosol generation. When engineering controls are not sufficient control exposure, wear an approved respirator with NIOSH Class 100 or high efficiency particulate (HEPA) filters or cartridges (EN 140/EN 136) when exposures are up to 10 times the exposure control guideline. Wear a loose-fitting (Tyvek or helmet type) HEPA powered-air purifying respirator (PAPR) (EN 12941) when exposures are 10-25 times the exposure control guideline. Wear a full facepiece negative pressure respirator with Class 100 or HEPA filters (EN 136) when exposures are 25-50 times the exposure control guideline. Wear a tight-fitting, full facepiece HEPA PAPR (EN 12942) when exposures are 50-100 times the exposure control guideline. Wear a hood-shroud HEPA PAPR (EN 12941) or full facepiece supplied air respirator (EN 139) operated in a pressure demand or other positive pressure mode when exposures are 100-1000 times the exposure control guideline.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye protection	Safety glasses with side-shields are recommended (EN 166). Face shields or chemical safety goggles (EN 166) may be required if splash potential exists or if corrosive materials are present. Note: Choice of eye protection may be influenced by the type of respirator which is selected.
Hand protection	Impervious nitrile, rubber and latex gloves are recommended (EN 420, EN 374). If material is handled in solution, the solvent should also be considered when selecting protective clothing material. Please note that employees who are allergic to natural rubber latex should use nitrile gloves.
Skin and body protection	Wear a laboratory coat (EN 340) when handling quantities up to 1 kilogram. For quantities over 1 kilogram, wear laboratory coat(EN 340)or coverall of low permeability (EN 1149-1). For manufacturing operations, wear coverall of low permeability (EN 465/1149-1). For manufacturing operations, wear coverall of low permeability.
Hygiene	Wash hands and face before breaks and immediately after handling the product.
Environmental exposure controls	Prevent release to drains and waterways.

9. PHYSICAL AND CHEMICAL PROPERTIES

General Information

Appearance

Physical State	liquid
Color	white to off-white
Form	suspension

Odour

Odour	Not remarkable.
Odor Threshold	Not available

pH	5 - 7
----	-------

Other information

Bulk density	Not available
Evaporation rate	Not available
Molecular formula	Not applicable
Hydrolysis/Photolysis	Not available
Hygroscopicity	Not available
Molecular Weight	Not applicable
Log Octanol/Water Partition Coefficient [log Kow]	Not available
Surface Tension	Not available
pKa	Not available
Particle Size	Not available
Solubility, Water	soluble
Specific Gravity/ Relative density	1.015
Viscosity, dynamic	similar to water
Viscosity, kinematic	Not available
% Volatile	Not available

9. PHYSICAL AND CHEMICAL PROPERTIES

Thermal/Stability properties

Autoignition temperature	Not available
Boiling Point	100 °C
Thermal decomposition	Not available
Explosive Limits, LEL	Not available
Explosive limits, UEL	Not available
Explosiveness	Not available
Flammability	Not available
Flash point	Not available
Melting Point	0 °C
Oxidizing Potential	Not available

Vapor Properties

Vapor Density	(Air =1): If adequate temperatures caused material to volatize, its vapor density would be much greater than 1. (Heavier than air)
Vapor Pressure	Not available
Saturated Vapor Concentration	Not available

10. STABILITY AND REACTIVITY

Stability

Chemical Stability	Stable under normal conditions.
--------------------	---------------------------------

Conditions to avoid	Not available
---------------------	---------------

Materials to avoid	Not available
--------------------	---------------

Hazardous decomposition products	Hazardous decomposition products formed under fire conditions.: carbon oxides (COx), hydrogen halides
----------------------------------	---

Hazardous reactions	Not available
---------------------	---------------

Sensitivity to static discharge/Dust exp.

Summary Statements	not applicable
--------------------	----------------

11. TOXICOLOGICAL INFORMATION

Routes of Entry	Ingestion, inhalation, Eye contact, Skin contact
-----------------	--

Eye Irritation	<u>Triamcinolone Acetonide</u> Mildly and/or transiently irritating to eyes <u>Benzyl Alcohol</u> Irritating to eyes.
----------------	--

Skin Irritation	<u>Triamcinolone Acetonide</u>
-----------------	--------------------------------

11. TOXICOLOGICAL INFORMATION

Repeated exposure may cause skin dryness or cracking. skin thinning

Benzyl Alcohol

Mildly irritating to skin

Respiratory
Irritation

Triamcinolone Acetonide

May cause irritation of respiratory tract.

Benzyl Alcohol

Irritating to respiratory tract.

Sensitization

Triamcinolone Acetonide

Not a dermal sensitizer Allergic contact dermatitis is quite rare but has been reported.

Benzyl Alcohol

Several studies were conducted. The results were negative and positive. Only rare mild cutaneous sensitization reactions have been observed in adults.

Acute Toxicity
Study

Acute Oral

Triamcinolone Acetonide

LD50 (mouse): 5,000 mg/kg

Benzyl Alcohol

LD50 (rat): 1,230 mg/kg

LD50 (mouse): 1,360 mg/kg

LD50 (rabbit): 1,040 mg/kg

LD50 (guinea pig): 2,500 mg/kg

Acute Dermal

Benzyl Alcohol

LD50 (rabbit): 2,000 mg/kg

Acute inhalation toxicity

Benzyl Alcohol

LC50 (rat): 8.8 mg/1/4 H

Acute toxicity (other routes of administration)

Triamcinolone Acetonide

LD50 (rat, subcutaneous): 13.1 mg/kg

LD50 (mouse, subcutaneous): 132 mg/kg

LD50 (mouse, intraperitoneal): 105 mg/kg

Repeated Dose
Toxicity

Benzyl Alcohol

16 D - 24 months oral (daily) rat, mouse study (males and females): LOAEL = 200 mg/kg;
High dose effects include: irregular respiration, lethargy, abnormal gait, decreased weight gain, mortality. High dose microscopic effects include: kidney, brain, muscle, thymus.

11. TOXICOLOGICAL INFORMATION

Genetic Toxicity Triamcinolone Acetonide
In vitro
 Ames reverse-mutation assay -- negative
 Forward gene mutation assay -- negative
Mutagenicity Assessment
 Several studies were conducted. The weight of evidence demonstrates that this material is not genotoxic.

Benzyl Alcohol
Mutagenicity Assessment
 The weight of evidence demonstrates that this material is not genotoxic.

Carcinogenicity Triamcinolone Acetonide
 2 years oral (daily) rat study : Tumor NOAEL = 0.001 mg/kg No treatment-related tumors were observed.
 2 years oral (daily) mouse study : Tumor NOAEL = 0.003 mg/kg No treatment-related tumors were observed.
 2 years drinking water (daily) rat study : Tumor LOAEL = 0.0048 mg/kg [tumor organs: liver]
Carcinogenicity Assessment
 Not classifiable as to its carcinogenicity to humans.

Benzyl Alcohol
 2 Years oral (5/week) rat study : Tumor NOAEL = 400 mg/kg (males and females). No treatment-related tumors were observed.
 2 Years oral (5/week) mouse study : Tumor NOAEL = 200 mg/kg (males and females). No treatment-related tumors were observed.
Carcinogenicity Assessment
 This material did not show carcinogenic potential in animal studies.

Carcinogenicity	ACGIH	IARC	NTP
Triamcinolone Acetonide	--	--	--
Benzyl Alcohol	--	--	--

Reproductive Toxicity Triamcinolone Acetonide
Assessment Reproductive Toxicity
 Several studies were conducted. May impair fertility. Maternal effects include: menstrual irregularities . Paternal effects include: sperm abnormalities See "Human Experience". See also "Developmental Toxicity" for information on reproductive effects.

Developmental Toxicity Triamcinolone Acetonide
Developmental Toxicity Assessment
 Several developmental studies were conducted. Birth defects were observed in animal studies. Compound may be toxic during early embryonic development. Teratogen This compound and/or its metabolites may be excreted into the milk. May cause harm to breastfed babies.

11. TOXICOLOGICAL INFORMATION

Benzyl Alcohol
Developmental Toxicity Assessment
 Limited data are available.

Human experience

Experiences with Human Exposure

Triamcinolone Acetonide

General effects therapeutic use low exposure - acute effects include: muscle weakness, muscle pain, bone fractures, infection, oedema, headache, difficulty sleeping, vertigo, restlessness, euphoria, mental disturbance, depression, anxiety, mood changes, seizure disorders, nosebleeds, cough, fever, nausea, anaphylaxis, vomiting, anorexia, gastrointestinal disturbance, sore throat, dry mouth, taste disturbance, speech difficulty, congestion, redness and swelling of eyes, vision changes, facial swelling, allergic reactions, skin thinning, acne, redness and swelling of skin, hives, bruising, superficial burning sensation, tingling, increase in blood pressure, Cushing's syndrome, electrolyte disturbance, hyperglycemia, adrenocortical insufficiency, withdrawal symptoms, osteoporosis, bone effects, menstrual irregularities, impaired spermatogenesis, cataracts, glaucoma, nose changes, otitis, peptic ulcer, psychiatric disorders, pancreatitis, changes in white blood cell parameters, alopecia, asthma, growth retardation, skin effects, injection site reactions, cardiac disorders, death.

Benzyl Alcohol

See also symptoms below.

Target Organs

Triamcinolone Acetonide

adrenal glands, bone, muscle, gastrointestinal tract, immune system, eyes, nervous system, skin, female reproductive organs, male reproductive organs

Benzyl Alcohol

central nervous system

Symptoms

Triamcinolone Acetonide

See "Human Experience".

Benzyl Alcohol

nausea, vomiting, diarrhoea, CNS depression, dizziness, headache, vision changes, rash, redness and swelling of skin, vertigo, delirium

Pharmacokinetics/
 Toxicokinetics

Triamcinolone Acetonide

Absorption: Not available
 Distribution: Not available
 Metabolism: Not available
 Elimination: Half-life = 2 - 3 Hour(s) (Human).

11. TOXICOLOGICAL INFORMATION

Other Toxicity Information Not available

Other Information: This SDS may contain toxicological and/or pharmacological information derived from either the specified product or from compounds in the same pharmacological class.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Acute Toxicity to Fish

Benzyl Alcohol

LC50 (Pimephales promelas, 96 H): 460 mg/l.

LC50 (Lepomis macrochirus, 96 H): 10 mg/l.

Acute Toxicity to Aquatic Invertebrates

Triamcinolone Acetonide

EC50 (Daphnia magna (Water flea), 48 H): > 100 mg/l.

Benzyl Alcohol

EC50 (water flea, 48 H): 23 mg/l.

Toxicity to aquatic plants

Benzyl Alcohol

EC50 (Anabaena variabilis, 3 H): 35 mg/l

Toxicity to microorganisms

Benzyl Alcohol

EC50 (Photobacterium phosphoreum, 30 Minute): 71.4 mg/l

Mobility Not available

Persistence and degradability

Biodegradation

Triamcinolone Acetonide

Ultimate aerobic biodegradation (28 D): 3 %; Not Readily Biodegradable - unlikely to undergo rapid biodegradation in the environment

Benzyl Alcohol

Ready biodegradation (30 D): > 90 %; Readily biodegradable - rapidly biodegrades in the environment

Summary Statements

Chemical Fate

KENALOG®-10 and 40 mg/ml (triamcinolone acetonide) Injectable Suspension

Not readily biodegradable.

PBT and vPvB assessment Not available

13. DISPOSAL CONSIDERATIONS

Advice On Disposal And Packaging Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. This information presented only applies to the material as supplied.

Other information Disposal by incineration is recommended.

14. TRANSPORT INFORMATION

This material is not a dangerous good for the purpose of transportation in all modes.

15. REGULATORY INFORMATION

United States of America

313 Toxic Release Inventory No components listed on the SARA 313 inventory.

TSCA Inventory Not listed. Food, drug and cosmetic products are exempt from TSCA.

EU Directive 1999/45/EC

BULK MATERIAL

Symbol(s) T: Toxic

R-phrase(s) R60: May impair fertility.
R61: May cause harm to the unborn child.
R64: May cause harm to breastfed babies.

S-phrase(s) S23: Do not breathe gas/fumes/vapour/spray.
S36/37/39: Wear suitable protective clothing, gloves and eye/face protection.
S38: In case of insufficient ventilation, wear suitable respiratory equipment.
S45: In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).
S53: Avoid exposure - obtain special instructions before use.

DRUG PRODUCT

Classification Medicinal products are exempt from classification and labeling requirements under EU Preparations Directive 1999/45/EC.

Regulatory Authorizations and Restrictions: Not available

16. OTHER INFORMATION


Text of Symbol(s), R-phrase(s) and H-code(s) mentioned in Section 3

H302	Harmful if swallowed.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H360D	May damage the unborn child
H360F	May damage fertility
H362	May cause harm to breast-fed children.
H372	Causes damage to organs through prolonged or repeated exposure.
R20/22	Harmful by inhalation and if swallowed.
R60	May impair fertility.
R61	May cause harm to the unborn child.
R64	May cause harm to breastfed babies.
R66	Repeated exposure may cause skin dryness or cracking.
T	Toxic
Xn	Harmful

Recommended Restrictions for Use:

Not available

SDS preparation information

Prepared by	Research and Development Environment, Health and Safety 1-732-227-7380		
Prepared on	24.02.2015 DD/MM/YYYY		
This Safety Data Sheet was reformatted in accordance with the Globally Harmonized System of Classification and Labeling of Chemicals (GHS) for the United States of America (USA) (CFR 1910.1200), European Union (EU) (EC 1272/2008) and United Nations (UN).			
<i>Other information</i>			
HMIS	Health	2*	
	Flammability	Not Determined (ND)	
	Reactivity	Not Determined (ND)	
	Personal protective equipment	See Section 8.	
NFPA	Health	2	
	Fire	ND	
	Reactivity	ND	
	Special	ND	

*Country- Specific Emergency
Phone Numbers*

CHEMTREC In-Country Dial Numbers	Local # Provided in Country	Toll Free in Country*	Greeting Language
CHEMTREC South Africa*		0-800-983-611	English
CHEMTREC Argentina (Buenos Aires)	+(54)-1159839431		Latin American Spanish
CHEMTREC Brazil (Rio De Janeiro)	+(55)-2139581449		Portuguese
CHEMTREC Chile (Santiago)	+(56)-25814934		Latin American Spanish
CHEMTREC Colombia *		01800-710-2151	Latin American Spanish
CHEMTREC Mexico*		01-800-681-9531	Latin American Spanish
CHEMTREC Peru (Lima)	+(51)-17071295		Latin American Spanish
CHEMTREC China*	4001-204937		Mandarin
CHEMTREC Hong Kong (Hong Kong)*		800-968-793	Cantonese
CHEMTREC India *		000-800-100-7141	Hindi
CHEMTREC Indonesia*		001-803-017-9114	Indonesian
CHEMTREC Japan (Tokyo)	+(81)-345209637		Japanese
CHEMTREC Malaysia *		1-800-815-308	Malay
CHEMTREC Philippines *		1-800-1-116-1020	Tagalog
CHEMTREC Singapore*		800-101-2201	Mandarin
CHEMTREC Singapore	+(65)-31581349		Mandarin
CHEMTREC South Korea*		00-308-13-2549	Korean
CHEMTREC Taiwan*		00801-14-8954	Mandarin
CHEMTREC Thailand *		001-800-13-203-9987	Thai
CHEMTREC Vietnam (Ho Chi Minh City)	+(84)-838012436		Vietnamese
CHEMTREC Australia (Sydney)	+(61)-290372994		English
CHEMTREC Belgium (Brussels)	+(32)-28083237		French and Flemish
CHEMTREC Czech Republic (Prague)	+(420)-228880039		Czech
CHEMTREC France	+(33)-975181407		French
CHEMTREC Germany *		0800-181-7059	German
CHEMTREC Hungary (Budapest)	+(36)-18088425		Hungarian
CHEMTREC Italy *		800-789-767	Italian
CHEMTREC Italy (Milan)	+(39)-0245557031		Italian
CHEMTREC Netherlands	+(31)-858880596		Dutch
CHEMTREC Poland (Warsaw)	+(48)-223988029		Polish
CHEMTREC Spain*		900-868538	European Spanish
CHEMTREC Sweden (Stockholm)	+(46)-852503403		Swedish
CHEMTREC Switzerland (Zurich)	+(41)-435016715		German
CHEMTREC UK (London)	+(44)-870-8200418		English
CHEMTREC Bahrain (Bahrain)	+(973)-16199372		Arabic
CHEMTREC Israel (Tel Aviv)	+(972)-37630639		Hebrew

*Phone numbers for countries marked with an asterisk must be dialed within the country

The information contained in this SDS is believed to be accurate and represents the best information reasonably available at the time of preparation. However, we make no warranty, express or implied, with respect to such information, and we assume no liability from its use.