LUPIN LIMITED

SAFETY DATA SHEET

Section 1: Identification

Section 1, Identification

Material Cephalexin Capsules USP

250 mg and 500 mg

Manufacturer Lupin Limited

Mandideep 462 046

India

Distributor Lupin Pharmaceuticals, Inc.

111 South Calvert Street, Harborplace Tower, 21st Floor, Baltimore, Maryland 21202

United States

Tel. 001-410-576-2000 Fax. 001-410-576-2221

Section 2: Hazard(s) Identification

Section 2, Hazard(s) identification

Fire and Explosion Expected to be non-combustible.

Health Cephalexin is contraindicated in patients with known allergy to the

cephalosporin group of antibiotics.

No information is available about the potential of this product to

Environment produce adverse environmental effects.

Section 3: Composition/Information on Ingredients

Section 3, Composition/information on ingredients

Ingredients CAS

Cephalexin USP 15686-71-2

SDS : 005/03 Page 1 of 5

Section 4: First-Aid Measures

Section 4, First-aid measures

Ingestion If conscious, give water to drink and induce vomiting. Do not attempt

to give any solid or liquid by mouth if the exposed subject is unconscious or semi-conscious. Wash out the mouth with water.

Obtain medical attention.

Inhalation Move individual to fresh air. Obtain medical attention if breathing

difficulty occurs. If not breathing, provide artificial respiration

assistance.

Skin Contact Remove contaminated clothing and flush exposed area with large

amounts of water. Wash all exposed areas of skin with plenty of soap and water. Obtain medical attention if skin reaction occurs.

Eye Contact Flush eyes with plenty of water. Get medical attention.

NOTES TO HEALTH PROFESSIONALS

Medical Treatment

Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center. Protect the patient's airway and support ventilation and perfusion. Meticulously monitor and maintain, within acceptable limits, the patient's vital signs, blood gases, serum electrolytes, etc.

OVERDOSAGE

Signs and Symptoms

Symptoms of oral overdose may include nausea, vomiting, epigastric distress, diarrhea, and hematuria. If other symptoms are present, it is probably secondary to an underlying disease state, an allergic reaction, or toxicity due to ingestion of a second medication.

Treatment

To obtain up-to-date information about the treatment of overdose, a good resource is your certified Regional Poison Control Center. Telephone numbers of certified poison control centers are listed in the Physicians' Desk Reference (PDR). In managing overdosage, consider the possibility of multiple drug overdoses, interaction among drugs, and unusual drug kinetics in your patient.

Unless 5 to 10 times the normal dose of cephalexin has been ingested, gastrointestinal decontamination should not be necessary. Protect the patient's airway and support ventilation and perfusion. Meticulously monitor and maintain, within acceptable limits, the patient's vital signs, blood gases, serum electrolytes, etc.

Absorption of drugs from the gastrointestinal tract may be decreased by giving activated charcoal, which, in many cases, is more effective than emesis or lavage; consider charcoal instead of or in addition to gastric emptying. Repeated doses of charcoal over time may hasten elimination of some drugs that have been absorbed. Safeguard the patient's airway when employing gastric emptying or charcoal.

Forced diuresis, peritoneal dialysis, hemodialysis, or charcoal hemoperfusion have not been established as beneficial for an overdose of cephalexin; however, it would be extremely unlikely that one of these procedures would be indicated.

The oral median lethal dose of cephalexin in rats is >5,000 mg/kg.

SDS : 005/03 Page 2 of 5

Section 5: Fire-Fighting Measures

Section 5, Fire-fighting measures

Fire and Explosion Hazards Assume that this product is capable of sustaining combustion.

Extinguishing MediaWater spray, carbon dioxide, dry chemical powder or appropriate

foam.

Special Firefighting Procedures For single units (packages): No special requirements needed.

For larger amounts (multiple packages/pallets) of product: Since toxic, corrosive or flammable vapors might be evolved from fires involving this product and associated packaging, self-contained breathing apparatus and full protective equipment are recommended for

firefighters.

Hazardous Combustion Products Hazardous combustion or decomposition products are expected when

the product is exposed to fire.

Section 6: Accidental Release Measures

Section 6, Accidental release measures

Personal Precautions Wear protective clothing and equipment consistent with the degree of

hazard.

Environmental Precautions For large spills, take precautions to prevent entry into waterways

sewers, or surface drainage systems.

Clean-up Methods Collect and place it in a suitable, properly labeled container for

recovery or disposal.

Section 7: Handling and Storage

Section 7, Handling and storage

Handling No special control measures required for the normal handling of this

product.

Normal room ventilation is expected to be adequate for routine

handling of this product.

Storage Store at 20° to 25°C (68° to 77°F) [See USP Controlled Room

Temperature].

Section 8: Exposure Controls/Personal Protection

Section 8, Exposure controls/personal protection

Wear appropriate clothing to avoid skin contact. Wash hands and arms thoroughly after handling.

SDS : 005/03 Page 3 of 5

Section 9: Physical and Chemical Properties

Section 9, Physical and chemical properties

Physical Form

Cephalexin capsules USP 250 mg, 500 mg (or cephalexin, USP), are available in:

250 mg

The 250 mg capsules are a white to yellowish-white granular powder filled into size "2" capsules (white and dark green) that are imprinted with "250" on dark green cap, and "LUPIN" on the white body in edible black ink. They are available as follows:

Bottles of 100 NDC 68180-121-01 Bottles of 500 NDC 68180-121-02

500 mg

The 500 mg capsules are a white to yellowish-white granular powder filled into size "0" capsules (light green and dark green) that are imprinted with "500" on the dark green cap, and "LUPIN" on the light green body in edible black ink. They are available as follows:

Bottles of 100 NDC 68180-122-01 Bottles of 500 NDC 68180-122-02

Section 10: Stability and Reactivity

Section 10, Stability and reactivity

Stable under recommended storage conditions.

Section 11: Toxicological Information

Section 11, Toxicological information

Carcinogenesis, Mutagenesis, Impairment of Fertility

Lifetime studies in animals have not been performed to evaluate the carcinogenic potential of cephalexin. Tests to determine the mutagenic potential of cephalexin have not been performed. In male and female rats, fertility and reproductive performance were not affected by cephalexin oral doses up to 1.5 times the highest recommended human dose based upon mg/m².

Section 12: Ecological Information

Section 12: Ecological Information

No relevant studies identified.

SDS : 005/03 Page 4 of 5

Section 13: Disposal Considerations

Section 13: Disposal Considerations

Incinerate in an approved facility. Follow all federal state and local environmental regulations.

Section 14: Transport Information

Section 14: Transport Information

IATA/ICAO - Not Regulated

IATA Proper shipping Name : N/A
IATA UN/ID No : N/A
IATA Hazard Class : N/A
IATA Packaging Group : N/A
IATA Label : N/A

IMDG - Not Regulated

IMDG Proper shipping Name:N/AIMDG UN/ID No:N/AIMDG Hazard Class:N/AIMDG Flash Point:N/AIMDG Label:N/A

DOT - Not Regulated

DOT Proper shipping Name : N/A
DOT UN/ID No : N/A
DOT Hazard Class : N/A
DOT Flash Point : N/A
DOT Packing Group : N/A
DOT Label : N/A

Section 15: Regulatory Information

Section 15: Regulatory Information

This Section Contains Information relevant to compliance with other Federal and/or state laws.

Section 16: Other Information

Section 16, Other information

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.

Lupin shall not be held liable for any damage resulting from handling or from contact with the above product. Lupin reserves the right to revise this MSDS.

SDS : 005/03 Page 5 of 5