

Material Safety Data Sheet

CONTACT:

MANUFACTURED FOR:

Instant Technologies 883 Norfolk Sq. Norfolk, VA 23502

Trade Name: iCup[™] Product Name: Drugs of Abuse Screen Catalog #: iCup* (based on configuration)

888-340-4029

Attn.: Customer Sales & Support

Instant Technologies

Norfolk, VA 23502

Phone: 800-340-4029

883 Norfolk Sq.

Fax:

Name: Not Applicable Chemical Family: *In-vitro* diagnostic test kits Formula: Not Applicable F.W.: Not Applicable DOT Hazard Classification: Not Applicable DOT Shipping Name: Not Applicable

Test Device: Sodium Azide: Name: CAS#: Health Hazards: First Aid Measures: Contact: Swallow: Fire Fighting Measures: Spill: Exposure Controls: Personal Protection: Physical Properties: Stability/Reactivity: Toxicological Information: Regulatory Information:

Concentration in Device: Stability/Reactivity:

Concentration: = <0.02% (7.5ng/test) Sodium Azide 26628-22-8: Poison -- Do Not Inhale or Swallow Inhale: Remove to fresh air Flush with water for 15 minutes If conscious, wash mouth out with water Call Physician Non-flammable Not applicable. Not applicable Not applicable Not applicable (contained within dry reagents in test device) Stable. Non-reactive in this test. Exposure above acceptable limits may be harmful OSHA PEL 0.3 mg/M³ ACGIH TLV: TWA Ceiling limit 0.01ppm = <0.02% (7.5ng/test) Stable. Non-reactive within this kit.

The above information is believed to be correct but does not purport to be all-inclusive and shall only be used as a guide. Instant Technologies shall not be held liable for any damage resulting from handling or from contact with the above product. See invoice or packing slip for additional terms and conditions.