



SAFETY DATA SHEET

1. Identification

Product identifier BD Vacutainer® SST Tubes

Other means of identification

Product code 367782, 365967, 365968, 365978, 365979, 365906, 367966, 367968, 367974, 367976, 367977, 367979, 367981, 367983, 367985, 367986, 367987, 367988, 367989, 367991, 367997, 368013, 368015, 368016, 368159, 368825, 365979

Recommended use Blood collection (In-Vitro Diagnostic) device

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name BD Diagnostics, PreAnalytical Systems

Address 1 Becton Drive
Franklin Lakes, NJ 07417-1885

Telephone 800-631-0174

Contact person Technical Services

Emergency telephone Chemtrec US 1-800-424-9300 EU 703-527-3887

E-mail pas_tech_services@bd.com

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement This material is not considered hazardous by the OSHA Hazard Communication Standard, OSHA 29 CFR 1910.1200.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Hydrophobic amorphous fumed silica	68611-44-9	1-5
Quartz	14808-60-7	0.1-<1.0

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Components not listed are either non-hazardous or are below reportable limits.

4. First-aid measures

Inhalation	Due to the small packaging the risk of inhalation is minimal. In case of risk of inhalation of vapor/aerosols: Move person to fresh air.
Skin contact	Wash skin with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if any discomfort occurs.
Most important symptoms/effects, acute and delayed	May irritate eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	By heating and fire, harmful vapors/gases may be formed.
Special protective equipment and precautions for firefighters	Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace.
Fire fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Material may burn when exposed to sufficient heat.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Avoid inhalation of vapors. Avoid contact with eyes and prolonged skin contact. See Section 8 of the SDS for Personal Protective Equipment.
Methods and materials for containment and cleaning up	Wipe up spilled material and place in a suitable container for disposal. Following product recovery, flush area with water. For waste disposal, see Section 13 of the SDS.
Environmental precautions	Environmental manager must be informed of all major spillages.

7. Handling and storage

Precautions for safe handling	Avoid inhalation of vapors. Avoid contact with eyes and prolonged skin contact. Observe good laboratory hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated place. Keep container closed. Store away from incompatible materials.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m ³	Total dust.
		0.1 mg/m ³	Respirable.
		2.4 mppcf	Respirable.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Hydrophobic amorphous fumed silica (CAS 68611-44-9)	TWA	6 mg/m ³	
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m ³	Respirable dust.
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Exposure guidelines	No exposure limits noted for ingredient(s).		
Appropriate engineering controls	General ventilation normally adequate.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Risk of contact: Wear approved safety goggles.		
Skin protection			
Hand protection	For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves are recommended. Suitable gloves can be recommended by the glove supplier.		
Skin protection			
Other	No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.		
Respiratory protection	Under normal conditions, respirator is not normally required. If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.		
Thermal hazards	None.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Yellow.
Odor	Odorless.
Odor threshold	Not applicable.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not applicable.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not available.
Viscosity	Not available.

Other information

Explosive properties Not explosive.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non reactive under normal conditions of use, storage and transport.
Chemical stability Stable at normal conditions.
Possibility of hazardous reactions Will not occur.
Conditions to avoid Contact with incompatible materials.
Incompatible materials Strong oxidizing agents.
Hazardous decomposition products None expected under normal conditions of use.

11. Toxicological information**Information on likely routes of exposure**

Inhalation Due to the small packaging the risk of inhalation is minimal. However: Vapors may irritate throat and respiratory system and cause coughing.
Skin contact May cause skin irritation.
Eye contact May cause eye irritation.
Ingestion Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics May irritate eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components	Species	Test Results
------------	---------	--------------

Hydrophobic amorphous fumed silica (CAS 68611-44-9)

Acute

Inhalation

LC50	Rat	0.45 mg/l, 4 hours
------	-----	--------------------

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization Due to lack of data the classification is not possible.

Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity Inhalation of quartz dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.

IARC Monographs. Overall Evaluation of Carcinogenicity

Hydrophobic amorphous fumed silica (CAS 68611-44-9)	3 Not classifiable as to carcinogenicity to humans.
Quartz (CAS 14808-60-7)	1 Carcinogenic to humans.

NTP Report on Carcinogens

Quartz (CAS 14808-60-7)	Known To Be Human Carcinogen.
-------------------------	-------------------------------

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity - single exposure Due to lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure Due to lack of data the classification is not possible.

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects None known.

12. Ecological information

Ecotoxicity	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data available.
Bioaccumulative potential	
Mobility in soil	No data available.
Mobility in general	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Dispose in accordance with all applicable regulations. Do not discharge into drains, water courses or onto the ground.
Hazardous waste code	Not regulated.
Waste from residues / unused products	Dispose of waste and residues in accordance with local authority requirements.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	Not regulated as dangerous goods.
IATA	Not regulated as dangerous goods.
IMDG	Not regulated as dangerous goods.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

15. Regulatory information

US federal regulations	This product is not hazardous according to OSHA 29CFR 1910.1200.
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)	Not regulated.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not regulated.
CERCLA Hazardous Substance List (40 CFR 302.4)	Toluene (CAS 108-88-3) LISTED
Superfund Amendments and Reauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazardous substance	Not listed.
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	Not regulated.
Other federal regulations	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List	Toluene (CAS 108-88-3)
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)	Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Toluene (CAS 108-88-3) 6594

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Toluene (CAS 108-88-3) 35 %WV

DEA Exempt Chemical Mixtures Code Number

Toluene (CAS 108-88-3) 594

US state regulations WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Hydrophobic amorphous fumed silica (CAS 68611-44-9)
Quartz (CAS 14808-60-7)
Toluene (CAS 108-88-3)

US. New Jersey Worker and Community Right-to-Know Act

Quartz (CAS 14808-60-7)
Toluene (CAS 108-88-3)

US. Pennsylvania Worker and Community Right-to-Know Law

Hydrophobic amorphous fumed silica (CAS 68611-44-9)
Quartz (CAS 14808-60-7)
Toluene (CAS 108-88-3)

US. Rhode Island RTK

Toluene (CAS 108-88-3)

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Quartz (CAS 14808-60-7)
Toluene (CAS 108-88-3)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 01-October-2015
Revision date 09-March-2016
Version # 02
Further information HMIS® is a registered trade and service mark of the NPCA.
HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings



List of abbreviations

LC50: Lethal Concentration, 50%.

References

ACGIH: American Conference of Governmental and Industrial Hygienists.
US. IARC Monographs on Occupational Exposures to Chemical Agents
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither BD nor any of its subsidiaries assumes any liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

This SDS contains revisions in the following section(s):

1, 16.