

1 Identification

- Product identifier
- Trade name: PURPLE SURGICAL INK
- Relevant identified uses of the substance or mixture and uses advised against
Currently no such applications are identified
- Application of the substance / the mixture alcohol based permanent marking ink
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
Viscot Medical, LLC.
32 West Street
East Hanover, NJ 07936
Phone: 973-887-9273
Fax: 973-887-3961
www.viscot.com
- Information department:
Tel.: 973-887-9273
- Emergency telephone number:
973-887-9273

2 Hazard(s) identification

- Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

- Label elements
- GHS label elements
The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS02



GHS05



GHS07



GHS08



GHS09

- Signal word Danger
- Hazard-determining components of labeling:
C.I. Basic Violet 3
- Hazard statements
Flammable liquid and vapour.
Causes serious eye damage.
Suspected of causing cancer.

Trade name: PURPLE SURGICAL INK

(Contd. of page 1)

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Avoid release to the environment.

Take precautionary measures against static discharge.

Use only outdoors or in a well-ventilated area.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

In case of fire: Use for extinction: CO₂, powder or water spray.

Collect spillage.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.


Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)



Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Mixture of the following substances, containing non-hazardous substances and colouring agents.

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

67-63-0	propan-2-ol	10-25%
548-62-9	C.I. Basic Violet 3	2.5-10%

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

Trade name: PURPLE SURGICAL INK

(Contd. of page 2)

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture
No further relevant information available.
- Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Wear protective clothing.
- Environmental precautions:
Inform respective authorities in case of seepage into water course or sewage system.
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- Precautions for safe handling
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- Information about protection against explosions and fires:
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities
- Storage:
Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

Components with limit values that require monitoring at the workplace:

67-63-0 propan-2-ol (10-25%)

PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm
BEI	

Ingredients with biological limit values:

67-63-0 propan-2-ol (10-25%)

BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
-----	---

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

(Contd. on page 4)
USA

Trade name: PURPLE SURGICAL INK

(Contd. of page 3)

- Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

• Information on basic physical and chemical properties	
• General Information	
• Appearance:	
Form:	Fluid
Color:	According to product specification
• Odor:	Alcohol-like
• Odour threshold:	Not determined.
• Important information on protection of health and environment, and on safety.	
-	
• pH-value:	Not determined.
• Change in condition	
Melting point/Melting range:	n.d. °C
Boiling point/Boiling range:	82 °C (180 °F)
• Flash point:	30 °C (86 °F)
• Flammability (solid, gaseous):	Not applicable.
• Ignition temperature:	371 °C (700 °F)
• Decomposition temperature:	Not determined.
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
• Explosion limits:	
Lower:	2.0 Vol %
Upper:	12.6 Vol %
• Vapor pressure at 20 °C (68 °F):	43 hPa (32 mm Hg)
• Density at 20 °C (68 °F):	0.967 g/cm ³ (8.07 lbs/gal)
• Relative density	Not determined.
• Vapour density	Not determined.
• Evaporation rate	Not determined.
• Solubility in / Miscibility with	
Water:	Fully miscible.
• Partition coefficient (n-octanol/water):	Not determined.
• Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 5)

Trade name: PURPLE SURGICAL INK

(Contd. of page 4)

· Solvent content:	
Organic solvents:	46.0 %
Water:	48.9 %
· Solids content:	5.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity
- Chemical stability
- Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant
- Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxicological effects:
- Remark: Toxic for fish
- Additional ecological information:
- General notes:
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 6)








USA

Trade name: PURPLE SURGICAL INK

(Contd. of page 5)

Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

<ul style="list-style-type: none"> UN-Number DOT, ADR, IMDG, IATA 	UN1263
<ul style="list-style-type: none"> UN proper shipping name DOT ADR IMDG IATA 	Paint 1263 Paint, ENVIRONMENTALLY HAZARDOUS PAINT (C.I. Basic Violet 3), MARINE POLLUTANT PAINT
<ul style="list-style-type: none"> Transport hazard class(es) DOT 	
 	
<ul style="list-style-type: none"> Class Label 	3 Flammable liquids 3
<ul style="list-style-type: none"> ADR 	
 	
<ul style="list-style-type: none"> Class Label 	3 (F1) Flammable liquids 3
<ul style="list-style-type: none"> IMDG 	
 	
<ul style="list-style-type: none"> Class Label 	3 Flammable liquids 3
<ul style="list-style-type: none"> IATA 	
	
<ul style="list-style-type: none"> Class Label 	3 Flammable liquids 3
<ul style="list-style-type: none"> Packing group DOT, ADR, IMDG, IATA 	III
<ul style="list-style-type: none"> Environmental hazards: Marine pollutant: Special marking (ADR): 	Product contains environmentally hazardous substances: C.I. Basic Violet 3 Yes Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Flammable liquids 30 F-E,S-E
<ul style="list-style-type: none"> Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> Transport/Additional information: DOT Quantity limitations Remarks: 	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L Special marking with the symbol (fish and tree).
<ul style="list-style-type: none"> ADR Excepted quantities (EQ) 	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)

Trade name: PURPLE SURGICAL INK

(Contd. of page 6)

<ul style="list-style-type: none"> IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 1263 Paint (dye-stuff: C.I. Basic Violet 3), Marine Pollutant
<ul style="list-style-type: none"> Remarks: 	
<ul style="list-style-type: none"> UN "Model Regulation": 	UN1263, Paint, ENVIRONMENTALLY HAZARDOUS, 3, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

<ul style="list-style-type: none"> Section 355 (extremely hazardous substances): 	None of the ingredient is listed.
<ul style="list-style-type: none"> Section 313 (Specific toxic chemical listings): 	None of the ingredients is listed.
<ul style="list-style-type: none"> TSCA (Toxic Substances Control Act): 	All ingredients are listed.
<ul style="list-style-type: none"> Proposition 65 	
<ul style="list-style-type: none"> Chemicals known to cause cancer: 	None of the ingredients is listed.
<ul style="list-style-type: none"> Chemicals known to cause reproductive toxicity for females: 	None of the ingredients is listed.
<ul style="list-style-type: none"> Chemicals known to cause reproductive toxicity for males: 	None of the ingredients is listed.
<ul style="list-style-type: none"> Chemicals known to cause developmental toxicity: 	None of the ingredients is listed.
<ul style="list-style-type: none"> DSL/NDSL (Canada) 	All ingredients are listed
<ul style="list-style-type: none"> Carcinogenity categories 	
<ul style="list-style-type: none"> EPA (Environmental Protection Agency) 	None of the ingredients is listed.
<ul style="list-style-type: none"> TLV (Threshold Limit Value established by ACGIH) 	67-63-0 propan-2-ol A4
<ul style="list-style-type: none"> MAK (German Maximum Workplace Concentration) 	None of the ingredients is listed.
<ul style="list-style-type: none"> NIOSH-Ca (National Institute for Occupational Safety and Health) 	None of the ingredients is listed.

- GHS label elements
The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



- Signal word **Danger**
- Hazard-determining components of labeling:
C.I. Basic Violet 3
- Hazard statements
Flammable liquid and vapour.
Causes serious eye damage.
Suspected of causing cancer.
May cause drowsiness or dizziness.
Toxic to aquatic life with long lasting effects.
- Precautionary statements
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
Ground/bond container and receiving equipment.
Use only non-sparking tools.
Avoid release to the environment.
Take precautionary measures against static discharge.

(Contd. on page 8)
USA

Trade name: PURPLE SURGICAL INK

(Contd. of page 7)

Use only outdoors or in a well-ventilated area.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF exposed or concerned: Get medical advice/attention.
In case of fire: Use for extinction: CO₂, powder or water spray.
Collect spillage.
Store locked up.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Dispose of contents/container in accordance with local/regional/national/international regulations.

• National regulations:

• Technical instructions (air):

Class	Share in %
NK	25-50

- Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Date of preparation / last revision 09/11/2014 / 6

• Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International C of Dangerous Goods by Road) arriage
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
Carc. 2: Carcinogenicity, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

• * Data compared to the previous version altered.